

Via Email to R9LandSubmit@epa.gov

June 30, 2023

Claire Trombadore Acting Director, Land Division US Environmental Protection Agency, Region 9 75 Hawthorne Street (LND-1) San Francisco, CA 94105

Re: Desotec US LLC – Parker, Arizona Facility USEPA ID No.: AZD 982 441 263 Modification No. 011 – Class 1: Appendix XIII – Contingency Plan

Dear Ms. Trombadore:

In accordance with 40 CFR 270.72(a), Desotec US LLC hereby submits a Class 1 permit modification notification to the Environmental Protection Agency, Region 9 for the Hazardous Waste Permit issued to its facility located at 2523 Mutahar Street in Parker, Arizona. This permit modification is classified as a Class 1 modification in 40 CFR 270.42 Appendix I, Sections A.1. "Administrative and informational changes".

This Class 1 permit modification is being submitted to address the change of the Alternate Emergency Coordinator as well as references to previous owner/operator in the facility Contingency Plan found in Appendix XIII and referenced in the final RCRA permit at II.K.3.a.iv.

Notifications:

A Class 1 permit modification requires a notice to the Facility mailing list within 90 days of the date the change is put into effect.

Permit modifications will be posted at the follow electronic address:

https://www.desotec.com/en/legal/permits-modifications-and-contingency-plans

Desotec US LLC

118 Park Road, Darlington, Pennsylvania, 16055 United States of America 2523 S. Mutahar Street, Parker, Arizona, 85344 **www.desotec.com** KBC Bank NV, New York Account #: 16668601 Swift Code: KREDUS33 ABA/Routing: 026008248 ACH: 026008248 EIN No. 92-1729155



US - AZ

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Permittee

DESOTEC US LLC

Kirt Dixon COO

Attachments:

Redlined Copy of Section G Contingency Plan Relined Copy of Appendix XIII Contingency Plan

Desotec US LLC

118 Park Road, Darlington, Pennsylvania, 16055 United States of America 2523 S. Mutahar Street, Parker, Arizona, 85344 www.desotec.com KBC Bank NV, New York Account #: 16668601 Swift Code: KREDUS33 ABA/Routing: 026008248 ACH: 026008248 EIN No. 92-1729155



CONTINGENCY PLAN

Desotec LLC 2523 Mutahar Street Parker, Arizona 85344

> July 2023 Revision 6

TABLE OF CONTENTS

SECTION

PAGE

1.0	INTI	RODUCTION1
2.0	GEN	NERAL INFORMATION
	2.1	FACILITY NAME AND LOCATION2
	2.2	FACILITY OWNER AND OPERATOR
	2.3	FACILITY OPERATIONS
	2.4	NATURE OF WASTES
3.0	THE	E CONTINGENCY PLAN
	3.1	COPIES
	3.2	AMENDMENTS
	3.3	TRAINING
4.0	RES	SPONSIBLE AGENCIES
	4.1	OFF-SITE RESPONSE AGENCIES
	4.2	OFF-SITE MEDICAL ASSISTANCE
	4.3	OTHER EMERGENCY CONTACTS
5.0	EME	ERGENCY COORDINATOR
	5.1	EMERGENCY COORDINATOR AND ALTERNATE9
	5.2	EMERGENCY COORDINATOR RESPONSIBILITIES
6.0	EME	ERGENCY EQUIPMENT13
	6.1	FIRE EXTINGUISHERS
	6.2	FIRE SPRINKLERS
	6.3	SPILL CONTROL EQUIPMENT
	6.4	COMMUNICATIONS EQUIPMENT
	6.5	ALARM SYSTEMS14

Desotec

	6.6	DECONTAMINATION EQUIPMENT	. 14
	6.7	OTHER EMERGENCY EQUIPMENT	. 14
7.0	EME	RGENCY RESPONSE PROCEDURES	. 16
	7.1	EXPLOSIONS AND/OR FIRES	. 16
	7.2	RELEASES OF HAZARDOUS WASTE	. 17
	7.3	PERSONAL INJURY	. 21
8.0	EVA	CUATION PROCEDURES	. 22
	8.1	EVACUATION ALERT	. 22
	8.2	EVACUATION SITUATIONS	. 22
9.0	REF	ORTING AND RECORDKEEPING REQUIREMENTS	. 23
	9.1	OFF-SITE THREATS [40 CFR 264.56(D)]	. 23
	9.2	OPERATING RECORD [40 CFR 264.54, 264.56(I)]	. 23
	9.3	INCIDENT REPORTING [40 CFR 264.56(I)]	. 23
	9.4	RELEASES TO THE ENVIRONMENT	. 24

LIST OF TABLES

<u>Table</u>	Is on o <u>Follows Page</u>
2-1	HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
2-2	ORGANIC CONSTITUENT RANGES FOR SPENT ACTIVATED CARBON
2-3	METAL CONSTITUENT RANGES FOR SPENT ACTIVATED CARBON
6-1	EMERGENCY EQUIPMENT

LIST OF APPENDICES

<u>Appendix</u>

- A RESPONSE AGENCY AGREEMENTS
- B EMERGENCY RESPONSE PROCEDURES
- C SITE PLAN
- D LOCATION OF EMERGENCY EQUIPMENT
- E EVACUATION ROUTES

1.0 INTRODUCTION

The Desotec US LLC (Desotec) facility is designed, constructed, maintained, and operated to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment. These conditions are referred to as "emergency situations" throughout this plan.

This Contingency Plan is designed to minimize hazards to human health or the environment in the event of such fires, explosions, or unplanned sudden or non-sudden releases of hazardous waste or hazardous waste constituents to air, soil, or surface water. The provisions of the plan will be carried out immediately whenever such an emergency occurs which could threaten human health or the environment outside the facility boundaries.

The contents of the Contingency Plan are based upon, and meet all criteria set forth in, 40 CFR 264 Subpart D and 40 CFR Part 270.


2.0 GENERAL INFORMATION

2.1 FACILITY NAME AND LOCATION

Desotec US LLC EPA Identification Number – AZD 982 441 263 2523 Mutahar Street Parker, Arizona 85344 Phone: (928) 669-5758

Contact: Russell Smith

The facility is located in the CRIT Industrial Park. A map showing the location is shown below.



2.2 FACILITY OWNER AND OPERATOR

The facility owner and operator is Desotec US LLC. The property on which the facility is located is owned by the Colorado River Indian Tribes.

2.3 FACILITY OPERATIONS

Desotec US LLC operates a facility for storage and treatment (reactivation) of used (or "spent") activated carbon. Activated carbon contaminated with a variety of wastes is received and stored at the facility prior to reactivation. Reactivation of spent carbon is currently accomplished in one reactivation unit (RF-2). The facility's capacity during interim status is limited to 2,760 pounds of spent carbon feed per hour.

The reactivation unit will be equipped with an afterburner for the purpose of destroying organic constituents in the off-gas. It will also be equipped with a venturi scrubber for particulate matter control, a packed-bed scrubber for acid-gas control, and a wet electrostatic precipitator for additional particulate matter control. Blowdown from the packed-bed scrubber is permitted for discharge to the local publicly-owned treatment works.

A site plan of the facility is provided in Appendix C. Drawing No. D14789-08 Rev 1 depicts the layout of the facility.

2.4 NATURE OF WASTES

2.4.1 CATEGORIES OF SPENT CARBON

The facility treats spent activated carbon that has typically been used for treating industrial and municipal wastewater, groundwater, surface water, process materials, or for air pollution control.

Constituents in the streams being treated are transported into the porous activated carbon particles by diffusion, where they are adsorbed onto the extensive inner surfaces of the activated carbon. Adsorption continues until the adsorption equilibrium capacity is reached, at which time the influent and effluent concentrations of the constituents in the stream being treated will be equal. However, the purpose of the treatment is to reduce the concentration of certain constituents in the stream being treated and, therefore, it is necessary to replace the activated carbon in the adsorption vessel at or before the point in time when the effluent concentration approaches the treatment objective, which is usually before the activated carbon has been in service for a specified time or when a pre-determined constituent concentration is detected in the effluent stream. The activated carbon is said to be "spent" when the treatment objective is met. Because the treatment objective is to reduce the concentration of certain constituents in the adsorption vessel will have reached its equilibrium capacity. Spent

carbon can contain approximately 0.3 pounds of adsorbed material per pound of dry carbon at equilibrium capacity.

2.4.2 SPENT CARBON CONSTITUENTS AND EXPECTED CONCENTRATIONS

The facility treats spent activated carbon that has typically been used for treating industrial and municipal wastewater, groundwater, surface water, process materials, or for air pollution control. Constituents in the streams being treated are adsorbed onto the surface and into the internal pores of the activated carbon. The activated carbon is said to be "spent" when it has adsorbed a certain amount of chemicals. The amount of constituents adsorbed will vary from application to application. Historically, the average organic loading data indicate a range of 0.0038 to 0.0071 pounds of organic per pound of dry carbon, with an overall weighted average of 0.0055 pounds of organic per pound of dry carbon.

The number of different regulated constituents adsorbed on the activated carbon from a given source depends on the composition of the stream being treated. The list of organic constituents that may be adsorbed on spent carbon is very extensive, and includes, but is not limited to, volatile organic compounds, polynuclear aromatic hydrocarbons, phthalates, amines, and pesticides. Activated carbon is not customarily used to remove metals from a waste stream, although, low concentrations may be expected in the spent carbon. Actual facility data for the spent activated carbon is included in Tables 2-2 and 2-3. The spent activated carbon will be received, stored and handled as per the Waste Analysis Plan located in the facility's RCRA Part B permit application. The facility will not accept spent carbon containing TSCA-regulated levels of PCBs, infectious wastes, regulated levels of radioactive wastes (as regulated by the Nuclear Regulatory Commission) or spent carbon exhibiting the characteristics of corrosivity or reactivity. Additionally, DESOTEC will not accept spent activated carbon that is classified as a dioxin-listed hazardous wastes (i.e., those carrying EPA Waste Codes F020, F021, F022, F023, F026, and F027).

The generator of the spent carbon and DESOTEC are required to characterize the spent carbon before it is accepted at the facility. DESOTEC will determine whether a particular spent carbon is manageable at the facility based on a review of the pre-acceptance characterization and the generator's determination of the EPA hazardous waste code. Criteria for acceptance of a particular spent carbon are discussed in the Waste Analysis Plan which can be found in Appendix IV of the facility's RCRA Part B permit application. The complete list of RCRA-regulated waste codes acceptable for reactivation at the facility is provided in Table 2-1.

Activated carbon is not customarily used to remove metals from a waste stream, although, low concentrations may be encountered in the spent carbon.

Lists of constituent concentrations (range and mean) expected to be found on spent carbons is provided in Table 2-2 and in Table 2-3. These lists are offered for informational purposes only and are not intended to define the range of constituents, or constituent concentrations that may be received at the facility.

TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY	
EPA WASTE CODE	WASTE DESCRIPTION
D001	A SOLID WASTE THAT EXHIBITS THE CHARACTERISTIC OF IGNITABILITY
D004	ARSENIC
D005	BARIUM
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D009	MERCURY
D010	SELENIUM
D011	SILVER
D012	ENDRIN
D013	LINDANE
D014	METHOXYCHLOR
D015	TOXAPHENE
D016	2,4-D
D017	2,4,5-(SILVEX)
D018	BENZENE
D019	CARBON TETRACHLORIDE
D020	CHLORDANE
D021	CHLOROBENZENE
D022	CHLOROFORM
D023	O-CRESOL
D024	M-CRESOL
D025	P-CRESOL
D026	CRESOL
D027	1,4-DICHLOROBENZENE
D028	1,2-DICHLOROETHANE
D029	1,1-DICHLOROETHYLENE
D030	2,4-DITROTOLUENE
D031	HEPTACHLOR (AND ITS EPOXIDE)
D032	HEXACHLOROBENZENE
D033	HEXACHLOROBUTADIENE
D034	HEXACHLOROETHANE
D035	METHYL ETHYL KETONE
D036	NITROBENZENE
D037	PENTRACHLOROPHENOL

TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
D038	PYRIDINE	
D039	TETRACHLOROETHYLENE	
D040	TRICHLOROETHYLENE	
D041	2,4,5-TRICHLOROPHENOL	
D042	2,4,6-TRICHLOROPHENOL	
D043	VINYL CHLORIDE	
F001	SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1 TRICHLOROETHANE, CARBON TETRACHLORIDE, CHLORINATED FLUOROCARBONS; AND MIXTURES/BLENDS CONTAINING A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) BEFORE USE OF ONE OR MORE OF THE ABOVE SOLVENTS OR SOLVENTS LISTED IN F002, F004 AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF SPENT SOLVENTS AND MIXTURES	
F002	TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1- TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLOROETHANE; AND MIXTURES/BLENDS CONTAINING A TOTAL OF 10% OR MORE (BY VOLUME) BEFORE USE OF ONE OR MORE OF THE ABOVE SOLVENTS OR SOLVENTS LISTED IN F002, F004 AND F005 AND STILL BOTTOMS FROM RECOVERY OF SPENT SOLVENTS AND MIXTURES	
F003	XYLENE, ACETONE ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANANE, METHANOL; MIXTURES/BLENDS OF ABOVE; AND 10% OR MORE (BY VOLUME) OF F001, F002, F004, F005; AND STILL BOTTOMS FROM RECOVERY OF SPENT SOLVENTS	
F004	CRESOLS AND CRESYLIC ACID, NOTROBENZENE; SOLVENT MIXTURES/BLENDS OF 10% OR MORE BEFORE USE OF ONE OR MORE OF ABOVE OR F001, F002, F005; STILL BOTTOMS FROM RECOVERY OF SPENT SOLVENTS	
F005	TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, 2-NITROPROPANE; MIXTURES/BLENDS OF 10% OR MORE (BY VOLUME) OF ABOVE OR SOLVENTS LISTED IN F001, F002, F004 AND STILL BOTTOMS FROM RECOVERY OF SOLVENTS	
F006	WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM SULFURIC ACID ANODIZING OF ALUMINUM; TIN PLATING ON CARBON STEEL; ZINC PLATING ON CARBON STEEL; ALUMINUM, ZINC ALUMINUM PLATING ON CARBON STEEL; CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND CHEMICAL ETCHING AND MILLING OF ALUMINUM	
F012	QUENCHING WASTEWATER TREATMENT SLUDGES FROM METAL HEAT TREATING OPERATIONS WHERE CYANIDES ARE USED	
F019	WASTEWATER TREATMENT SLUDGES FROM CHEMICAL CONVERSION COATING OF ALUMINUM EXCEPT ZIRCONIUM PHOSPHATING IN ALUMINUM CAN WASHING	

TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
F025	CONDENSED LIGHT ENDS, SPENT FILTERS AND AIDS, SPENT DESICCANT WASTES FROM PRODUCTION OF CERTAIN CHLORINATED ALIPHATIC HYDROCARBONS (HAVING CARBON CHAIN LENGTHS RANGING FROM 1-5 WITH VARYING AMOUNTS AND POSITIONS OF CHLORINE SUBSTITUTION) BY FREE RADICAL CATALYZED PROCESSES.	
F035	WASTEWATERS, PROCESS RESIDUALS, PRESERVATIVE DRIPPAGE, AND SPENT FORMULATIONS FORM WOOD PRESERVING PROCESS GENERATED AT PLANTS THAT USE INORGANIC PRESERVATIVES CONTAINING ARSENIC OR CHROMIUM. DOES NOT INCLUDE K001 BOTTOM SEDIMENT SLUDGE FROM TREATMENT OF WASTEWATER FROM WOOD PRESERVING PROCESSES USING CREOSOTE AND/OR PENTACHLOROPHENOL	
F037	PETROLEUM REFINERY PRIMARY OIL/WATER/SOLIDS SEPARATION SLUDGE. SLUDGE FROM GRAVITATIONAL SEPARATION OF OIL/WATER/SOLIDS DURING STORAGE OR TREATMENT OF PROCESS WASTEWATERS AND OILY COOLING WASTEWATERS FROM PETROLEUM REFINERIES. (OIL/WATER/SOLIDS SEPARATORS; TANKS AND IMPOUNDMENTS; DITCHES/CONVEYANCES; SUMPS; STORMWATER UNITS. SLUDGES FROM NON-CONTACT ONCE-THROUGH COOLING WATERS, SLUDG3ES FROM AGRESSIVE BIOLOGICAL TREATMENT UNITS, K051 WASTES	
F038	PETROLEUM REFINERY SECONDARY (EMULSIFIED) OIL/WATER/SOLIDS SEPARATION SLUDGE-ANY SLUDGE AND/OR FLOAT GENERATED FROM THE PHYSICAL AND/OR CHEMICAL SEPARATION OF OIL/WATER/SOLIDS IN PROCESS WASTEWATERS AND OILY COOLING WASTEWATERS FROM PETROLEUM REFINERIES. SUCH WASTES INCLUDE, BUT ARE NOT LLIMITED TO, ALL SLUDGES AND FLOATS GENERATED IN: INDUCED AIR FLOTATION (IAF) UNITS, TANKS AND IMPOUNDMENTS, AND ALL SLUDGES GENERATED IN DAF UNITS. SLUDGES GENERATED IN STORMWATER UNITS THAT DO NBOT RECEIVE DRY WEATHER FLOW, SLUDGES GENERATED FROM NON-CONTACT ONCE-THROUGH COOLING WATERS SEGREGATED FOR TREATMENT FROM OTHER PROCESS OR OILY COOLING WATERS, SLUDGES AND FLOATS GENERATED IN AGRESSIVE BIOLOGICAL TREATMENT UNITS (INCLUDING SLUDGES AND FLOATS GENERATED IN ONE OR MORE ADDITIONAL UNITS AFTER WASTEWATERS HAVE BEEN TREATED IN AGGRESSIVE GIOLOGICAL TREATMENT UNITS) AND F037,K048, AND K051 WASTES ARE NOT INCLUDED IN THIS LISTING.	
F039	LEACHATE FROM DISPOSAL OF MORE THAN ONE RESTRICTED WASTE CLASSIFIED AS HAZARDOUS UNDER SUBPART D; (LEACHATE RESULTING FROM THE DISPOSAL OF ONE OR MORE OF THE FOLLOWING EPA HAZARDOUS WASTES AND NO OTHER HAZARDOUS WASTES, RETAINS ITS EPA HAZARDOUS WASTE NUMBER(S): F020, F021, F022, F026, F027, AND/OR F028.)	
K001	WASTEWATER TREATMENT SLUDGE BOTTOM SEDIMENT THAT USE CREOSOTE AND/OR PENTACHLOROPHENOL	
K002	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF CHROME YELLOW AND ORANGE PIGMENTS	
K003	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF MOLYBDATE ORANGE PIGMENTS	

TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
K004	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF ZINC YELLOW PIGMENTS	
K005	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF CHROME GREEN PIGMENTS	
K006	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF CHROME OXIDE GREEN PIGMENTS (ANHYDROUS AND HYDRATED)	
K007	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF IRON BLUE PIGMENTS	
K008	OVEN RESIDUE FROM PRODUCTION OF CHROME OXIDE GREEN PIGMENTS	
K009	DISTILLATION BOTTOMS FROM THE PRODUCTION OF ACETALDEHYDE FROM ETHYLENE	
K010	DISTILLATION SIDE CUTS FROM PRODUCTION OF ACETALDEHYDE FROM ETHYLENE	
K014	VICINALS FROM THE PURIFICATION OF TOLUENEDIAMINE IN THE PRODUCTION OF TOLUENEDIAMINE VIA THE HYDROGENATION OF DINITROTOLUENE	
K015	STILL BOTTOMS FROM DISTILLATION OF BENZYL CHLORIDE	
K016	HEAVY ENDS OR DISTILLATION RESIDUES FROM PRODUCTION OF CARBON TETRACHLORIDE	
K017	HEAVY ENDS (STILL BOTTOMS) FROM PURIFICATION COLUMN IN PRODUCTION OF EPICHLOROHYDRIN	
K018	HEAVY ENDS FROM FRACTIONATION COLUMN IN ETHYL CHLORIDE PRODUCTION	
K019	HEAVY ENDS FORM THE DISTILLATION OF ETHYLENE DICHLORIDE IN ETHYLENE DICHLORIDE PRODUCTION	
K020	HEAVY ENDS FROM DISTILLATION OF VINYL CHLORIDE IN VINYL CHLORIDE MONOMER PRODUCTION	
K022	DISTILLATION BOTTOM TARS FROM PRODUCTION OF PHENOL/ACETONE FROM CUMENE	
K023	DISTILLATION LIGHT ENDS FROM PRODUCTION OF PHTHALIC ANHYDRIDE FROM NAPHTHALENE	
K024	DISTILLATION BOTTOMS FROM PRODUCTION OF PHTHALIC ANHYDRIDE FROM NAPHTHALENE	
K025	DISTILLATION BOTTOMS FROM THE PRODUCTION OF NITROBENZENEBY THE NITRATION OF BENZENE	
K026	STRIPPING STILL TAILS FROM PRODUCTION OF METHY ETHYL PYRIDINES	
K029	WASTE FROM PRODUCT STEAM STRIPPER IN PRODUCTION OF 1,1,1- TRICHLOROETHANE	
K030	COLUMN BOTTOMS OR HEAVY ENDS FROM COMBINED PRODUCTION OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE	
K031	BY-PRODUCT SALTS GENERATED IN PRODUCTION OF MSMA AND CACODYLIC ACID	
K032	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF CHLORDANE	

TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
K033	WASTEWATER TREATMENT AND SCRUB WATER FROM CHLORINATION OF CYCLOPENTADIENE IN PRODUCTION OF CHLORDANE	
K034	FILTER SOLIDS FROM FILTRATION OF HEXACHLOROCYCLOPENTADIENE IN PRODUCTION OF CHLORDANE	
K035	WASTEWATER TREATMENT SLUDGES GENERATED IN PRODUCTION OF CREOSOTE	
K036	STILL BOTTOMS FROM TOLUENE RECLAMATION DISTILLATION IN PRODUCTION OF DISULFOTON	
K037	WASTEWATER TREATMENT SLUDGES FROM PRODUCTION DISULFOTON	
K038	WASTEWATER FROM WASHING AND STRIPPING OF PHORATE PRODUCTION	
K039	FILTER CAKE FROM FILTRATIN OF DIETHYLPHOSPHORODITHIOIC ACID IN PRODUCTION OF PHORATE	
K040	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF PHORATE	
K041	WASTEWATER TREATMENT SLUDGE FORM PRODUCTION OF TOXAPHENE	
K042	HEAVY ENDS OR DISTILLATION RESIDUES FROM DISTILLATION OF TETRACHLOROBENZENE IN PRODUCTION OF 2,4,5-T	
K046	WASTEWATER TREATMENT SLUDGES FROM THE MANUFACTURING, FORMULATION AND LOADING OF LEAD-BASED INTIATING COMPOUNDS.	
K048	DISSOLVED AIR FLOTATION FLOAT FROM PETROLEUM REFINING INDUSTRY	
K049	SLOP OIL EMULSION SOLIDS FROM PETROLEUM REFINING INDUSTRY	
K050	HEAT EXCHANGER BUNDLE CLEANING SLUDGE FROM PETROLEUM REFINING INDUSTRY	
K051	API SEPARATOR SLUDGE FROM PETROLEUM REFINING INDUSTRY	
K052	TANK BOTTOMS (LEADED) FROM PETROLEUM REFINING INDUSTRY	
K061	EMISSION CONTROL DUST/SLUDGE FROM PRIMARY PRODUCTION OF STEEL IN ELECTRIC FURNACES	
K064	ACID PLANT BLOWDOWN SLURRY/SLUDGE RESULTING FROM THE THICKENING OF BLOWDOWN SLURRY FROM PRIMARY COPPER PRODUCTION	
K065	SURFACE IMPOUNDMENT SOLIDS CONTAINED IN AND DREDGED FROM SURFACE IMPOUNDMENTS AT PRIMARY LEAD SMELTING FACILITIES.	
K066	SLUDGE FROM TREATMENT OF PROCESS WASTEWATER AND/OR ACID PLANT BLOWDOWN FROM PRIMARY ZINC PRODUCTION	
K071	BRINE PURIFICATION MUDS FROM MERCURY CELL PROCESS IN CHLORINE PRODUCTION WHERE SEPARATELY PREPURIFIED BRINE IS NOT USED	
K073	CHLORINATED HYDROCARBON WASTE FROM PURIFICAITON STEP OF THE DIAPHRAGM CELL PROCESS USING GRAPHITE ANODES IN CHLORINE PRODUCTION	
K083	DISTILLATION BOTTOMS FROM ANILINE PRODUCTION	
K084	WASTEWATER TREATMENT SLUDGES GENERATED DURING PRODUCTION OF VETERINARY PHARMACEUTICALS FROM ARSENIC OR ORGANO-ARSENIC COMPOUNDS	

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION		
K085	DISTILLATION OR FRACTIONATION COLUMN BOTTOMS FROM PRODUCTION OF CHLOROBENZENES		
K086	SOLVENT WASHES AND SLUDGES, CAUSTIC WASHES AND SLUDGES, OR WATER WASHES AND SLUDGES FROM CLEANING TUBS AND EQUIPMENT USED IN FORMULATION OF INK FROM PIGMENTS, DRIERS, SOAPS, STABILIZERS CONTAINING CHROMIUM AND LEAD		
K087	DECANTER TANK TAR SLUGE FROM COKING		
K088	SPENT POTLINERS FROM PRIMARY ALUMINUM REDUCTION		
K090	EMISSION CONTROL DUST OR SLUDGE FROM FERROCHROMIUMSILICON PRODUCTION		
K091	EMISSION CONTROL DUST OR SLUDGE FROM FERROCHROMIUM PRODUCTION		
K093	DISTILLAION LIGHT ENDS FROM PRODUCTION OF PHTHALIC ANHYDRIDE FROM ORTHO-XYLENE		
K094	DISTILLATION BOTTOMS FROM PRODUCTION OF PHTHALIC ANHYDRIDE FROM ORTHO-XYLENE		
K095	DISTILLAION BOTTOMS FROM PRODUCTION OF 1,1,1-TRICHLOROETHANE		
K096	HEAVY ENDS FROM HEAVY ENDS COLUMN FROM PRODUCTION OF 1,1,1- TRICHLOROETHANE		
K097	VACUUM STRIPPER DISCHARGE FROM CHLORDANE CHLORINATOR IN PRODUCTION OF CHLORDANE		
K098	UNTREATED PROCESS WASTEWATER FROM PRODUCTION OF TOXAPHENE		
K100	WASTE LEACHING SOLUTION FROM ACID LEACHING OF EMISSION CONTROL DUST/SLUDGE FROM SECONDARY LEAD SMELTING		
K101	DISTILLATION TAR RESIDUES FROM DISTILLATIONOF ANILINE-BASED COMPOUNDS IN PRODUCTION OF VETERINARY PHARMACEUTICALS FROM ARSENIC OR ORGANO-ARSENIC COMPOUNDS		
K102	RESIDUE FROM USE OF ACTIVATED CARBON FOR DECOLORIZATION IN PRODUCTION OF VETERINARY PHARMACEUTICALS FRO ARSENIC OR ORGANO- ARSENIC COMPOUNDS		
K103	PROCESS RESIDUES FROM ANILINE EXTRACTION FROM PRODUCTIONOF ANILINE		
K104	COMBINED WASTEWATER STREAMS GENERATED FROM NITROBENZENE/ANILINE PRODUCTION		
K105	SEPARATED AQUEOUS STREAM FROM THE REACTOR PRODUCT WASHING STEP IN PRODUCTION OF CHLOROBENZENES		
K106	WASTEWATER TREATMENT SLUDGE FROM MERCURY CELL PROCESS IN CHLORINE PRODUCTION		
K112	REACTION BY-PRODUCT WATER FROM THE DRYING COLUMN IN PRODUCTION OF TOLUENEDIAMINE VIA HYDROGENATION OF DINITROTOLUENE		
K113	CONDENSED LIQUID LIGHT ENDS FROM THE PURIFICATIONOF TOLUENEDIAMINE IN PRODUCTION OF TOLUENEDIAMINE VIA HYDROGENATION OF DINITROTOLUENE		

TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY	
EPA WASTE CODE	WASTE DESCRIPTION
K114	VICINALS FROM PURIFICAITON OF TOLUENEDIAMINE IN PRODUCTION OF TOLUENEDIAMINE VIA HYDROGENATION OF DINITROTOLUENE
K115	HEAVY ENDS FROM THE PURIFICATION OF TOLUENEDIAMINE IN PRODUCTION OF TOLUENEDIAMINE VIA HYDROGENATION OF DINITROTOLUENE
K116	ORGANIC CONDENSATE FROM SOLVENT RECOVERY COLUMN IN PRODUCTION OF TOLUENE DIISOCYANATE VIA PHOSGENATION OF TOLUENEDIAMINE
K117	WASTEWATER FROM THE REACTOR VENT GAS SCRUBBER IN PRODUCTION OF ETHYLENE DIBROMIDE VIA BROMINATION OF ETHENE
K118	SPENT ADSORBENT SOLIDS FROM PURIFICATION OF ETHYLENE DIBROMIDE IN PRODUCTION OF ETHYLENE DIBROMIDE VIA BROMINATION OF ETHENE
K125	FILTRATION, EVAPORATION, AND CENTRIFUGATION SOLIDS FROM THE PRODUCTION OF ETHYLENEBISDITHIOCARBAMIC ACID AND ITS SALTS.
K126	BAGHOUSE DUST AND FLOOR SWEEPINGS IN MILLING AND PACKAGING OPERATIONS FROM PRODUCTION OR FORMULATION OF ETHYLENE BIS DITHIOCARBAMIC ACID AND ITS SALTS
P001	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRAIONS GREATER THAN 0.3%
P002	ACETAMINE, N-(AMINOTHIOXOMETHYL); Also known as 1-ACETYL-2-THIOUREA
P003	ACROLEIN; Also known as 2-PROPENAL
P004	ALDRIN; Also known as 1,4,5,8-DIMETHANONAPHTHALENE, 1,2,3,4,10,10-HEXA-CHLORO-1,4,4A,5,8,8A,-HEXAHYDRO, (ALPHA, 4ALPHA, 4 ABETA, 5 ALPHA, 8ALPHA, 8ABETA)-
P005	ALLYL ALCOHOL; Also known as 2-PROPEN-1-OL
P007	5-(AMINOMETHYL)-3-ISOXAZOLOL; Also known as 3(2H)-ISOXAZOLONE, 5- (AMINOMETHYL)-
P008	4-AMINOPYRIDINE; Also known as 4-PYRIDINAMINE
P010	ARSENIC ACID H ₃ ASO ₄
P011	ARSENIC OXIDE AS ₂ O ₅ ; Also known as ARSENIC PENTOXIDE
P012	ARSENIC OXIDE AS ₂ O ₃ ; Also known as ARSENIC TRIOXIDE
P013	BARIUM CYANIDE
P014	BENZENETHIOL; Also known as THIOPHENOL
P015	BERYLLIUM
P016	DICHLOROMETHYL ETHER; Also known as METHANE, OXYBIS[CHLORO-
P017	BROMOACETONE; Also known as 2-PROPANONE, 1-BROMO-
P018	BRUCINE
P020	DIOSEB; Also known as PHENOL, 2-(1-METHYLPROPYL)-4,6-DINITRO-
P021	CALCIUM CYANIDE; Also known as CALCIUM CYANIDE CA(CN)2
P022	CARBON DISULFIDE

TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
P023	ACETALDEHYDE, CHLORO-; Also known as CHLOROACETALDEHYDE	
P024	BENZENAMINE, 4-CHLORO-; Also known as P-CHLORANILINE	
P026	1-(O-CHLOROPHENYL)THIOUREA; Also known as THIOUREA, (2-CHLOROPHENYL)-	
P027	PROPANENITRILE, 3-CHLORO-; Also known as 3-CHLOROPROPIONITRILE	
P028	BENZENE, (CHLOROMETHYL)-; Also known as BENZYL CHLORIDE	
P029	COPPER CYANIDE; Also known as COPPER CYANIDE CU(CN)	
P030	CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED	
P031	CYANOGEN; Also known as ETHANEDINITRILE	
P033	CYANOGEN CHLORIDE; Also known as CYANOGEN CHLORIDE (CN)CL	
P034	2-CYCLOHEXYL-4,6-DINITROPHENOL; Also known as PHENOL, 2-CYCLOHEXYL-4,6- DINITRO-	
P036	ARSONOUS DICHLORIDE, PHENYL-; Also known as DICHLOROPHENYLARSINE	
P037	DIELDRIN; Also known as 2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9- HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETS, 2AALPHA, 3BETAK, 6BETA, 6AALPHA, 7BETA, 7AALPHA)-	
P038	ARSINE, DIETHYL-; Also known as DIETHYLARSINE	
P039	PHOSPHORODITHIOIC ACID, O,O-DIETHYL S-[2-(ETHYLTHIO)ETHYL]ESTER; Also known as DISULFOTON	
P040	O,O-DIETHYL O-PYRAZINYL PHOSPHOROTHIOATE; Also known as PHOSPHOROTHIOIC ACID, O, O-DIMETHYL O-(4 NITROPHENYL) ESTER	
P041	PHOSPHORIC ACID, DIETHYL 4-NITROPHENYL ESTER; Also known as DIETHYL-P-NITROPHENYL PHOSPHATE	
P042	1,2-BENZENEDIOL, 4-[HYDROXY-2-(METHYLAMINO)ETHYL]-,(R)-; Also known as EPINEPHRINE	
P043	DIISOPROPYLFLUOROPHOSPHATE (DFP); Also known as PHOSPHOROFLUORIDIC ACID, BIS (1-METHYLETHYL)ESTER	
P044	DIMETHOATE; Also known as PHOSPHORODITHIOIC ACID,O, O-DIMETHYL S-[2-(METHYLAMINO)-2- OXOETHYLJESTER	
P045	2-BUTANONE, 3, 3-DIMETHYL-1-(METHYITHIO)-,O- [METHYLOAMINO)CARBONYL]OXIME; Also known as THIOFANOX	
P046	BENZENEETHANAMINE, ALPHA,ALPHA-DIMETHYL-; Also known as ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	
P047	4,6-DINITRO-O-CRESOL, & SALTS; Also known as PHENOL,2-METHYL-4,6-DINITRO-, & SALTS	
P048	2,4-DINITROPHENOL; Also known as PHENOL, 2,4-DINITRO-	
P049	DITHIOBIURET; Also known as THIOIMIDODICARBONIC DIAMIDE [H2N)C(S)]2NH	

TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY	
EPA WASTE CODE	WASTE DESCRIPTION
P050	ENDOSULFAN; Also known as 6M9-METHANO-2,4,3-BENZODIOXATHIEPIN, 6,7,8,9,10,1K0-HEXACHLORO-1,5,5A,6,9,91-HEXAHYDRO-,3-OXIDE
P051	2,7:3,6-DIMETHANONAPHTH [2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO- 1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2ABETA, 3ALPHA, 6ALPHA, 6ABETA, 7BETA, 7AALPHA)-, & METABOLITES; Also known as ENDRIN; Also known as ENDRIN, & METABOLITES
P054	AZIRIDINE; Also known as ETHYLENEIMINE
P056	FLUORINE
P057	ACETAMIDE, 2-FLUORO-; Also known as FLUOROACETAMIDE
P058	ACETIC ACID, FLUORO-, SODIUM SALT; Also known as FLUOROACETIC ACIDE, SODIUM SALT
P059	HEPTACHLOR; Also known as 4,7-METHANO-1H-INDENE, 1,4,5,6,7,8,-HEPTACHLORO-3A,4,7,7A-TETRAHYDRO-
P060	1,4,5,8-DIMETHANONAPHTHALENE,1,2,3,4,10,10-HEXA- CHLORO-1,4,4A,5,7,8,8A- HEXAHYDRO-(1ALPHA, 4ALPHA, 4ABETA, 5BETA,8BETA,8ABETA)-; Also known as ISODRIN
P062	HEXAETHYL TETRAPHOSPHATE; Also known as TETRAPHOSPHORIC ACID, HEXAETHYL ESTER
P063	HYDROCYANIC ACID; Also known as HYDROGEN CYANIDE
P064	METHANE, ISOCYANATO-
P066	ETHANIMIDOTHIOIC ACID, N-[[(METHYLAMINO)CARBONYL]OXY]-, METHYL ESTER; Also known as METHOMYL
P067	AZINIDINE, 2-METHYL; Also known as 1,2-PROPYLENIMINE
P068	HYDRAZINE, METHYL-; Also known as METHYL HYDRAZINE
P069	2-METHYLLACTONITRILE; Also known as PROPANENITRILE, 2-HYDROXY-2-METHYL-
P070	ALDICARB; Also known as PROPANAL, 2-METHYL-2-(METHYLTHIO)-, O-[(METHYLAMINO)CARBONYL]OXIME
P071	METHYL PARATHION; Also known as PHOSPHOROTHIOIC ACID, O, O,-DIMETHYL O-(4-NITROPHENYL)ESTER
P072	ALPHA-NAPHTHYLTHIOUREA; Also known as THIOUREA, 1-NAPHTHALENYL-
P073	NICKEL CARBONYL; Also known as NICKEL CARBONYL NI(CO)4, (T-4)-
P074	NICKEL CYANIDE; Also known as NICKEL CYNAIDE NI(CN)2
P075	NICOTINE, & SALTS; Also known as PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-, (S)-, & SALTS
P077	BENZENAMINE, 4-NITRO-; Also known as P-NITROANILINE
P078	NITROGEN DIOXIDE; Also known as NITROGEN OXIDE NO2
P082	METHANAMINE, N-METHYL-N-NITROSO-; Also known as N-NITROSODIMETHYLAMINE
P084	N-NITROSOMETHYLVINYLAMINE; Also known as VINYLAMINE, N-METHYL-N-NITROSO-

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
EPA WASTE CODE	WASTE DESCRIPTION
P085	DIPHOSPHORAMIDE, OCTAMETHYL-; Also known as OCTAMETHYLPYROPHOSPHORAMIDE
P087	OSMIUM OXIDE OSO ₄ , (T-4)-; Also known as OSMIUM TETROXIDE
P088	ENDOTHALL; Also known as 7-OXABICYCLO[2.2.1]HEPTANE-2,3-DICARBOXYLIC ACID
P089	PARATHION; Also known as PHOSPHORIC ACID, O,O-DIETHYL O-(4- NITROPHENYL)ESTER
P092	MERCURY, (ACETATO-O)PHENYL-; Also known as PHENYLMERCURY ACETATE
P093	PHENYLTHIOUREA; Also known as THIOUREA, PHENYL-
P094	PHORATE; Also known as PHOSPHORODITHIOIC ACID, O,O-DIETHYL; Also known as S-[ETHYLTHIO)METHYL] ESTER
P095	CARBONIC DICHLORIDE; Also known as PHOSGENE
P096	HYDROGEN PHOSPHIDE; Also known as PHOSPHINE
P097	FAMPHUR; Also known as PHOSPHOTHIOIC ACID, O-[4-[(DIMETHYLAMINO)SULFONYL]PHENYL] O,O-DIMETHYL ESTER
P098	POTASSIUM CYANIDE
P099	ARGENTATE(1-), BIS(CYANO-C)-, POTASSIUM; Also known as POTASSIUM SILVER CYANIDE
P101	ETHYL CYANIDE; Also known as PROPANENITRILE
P102	PROPARGYL ALCOHOL; Also known as 1-PROPYN-1-OL
P103	SELENOUREA
P104	SILVER CYANIDE
P105	SODIUM AZIDE
P108	STRYCHNIDIN-10-ONE, & SALTS; Also known as STRYCHNINE, & SALTS
P109	TETRAETHYLDITHIOPYROPHOSPHATE; Also known as THIODIPHOSPHIRIC ACID, TETRAETHYL ESTER
P110	TETRAETHYL LEAD
P113	THALLIUM OXIDE TL ₂ O ₃
P114	THALLIUM(L) SELENITE
P115	THALLIUM(L) SULFATE
P116	THIOSEMICARBAZIDE
P118	TRICHLOROMETHANETHIOL
P119	VANADIC ACID, AMMONIUM SALT
P120	VANADIUM PENTOXIDE
P121	ZINC CYANIDE
P123	TOXAPHENE
U001	ACETALDEHYDE (I); Also known as ETHANAL (I)

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
EPA WASTE CODE	WASTE DESCRIPTION
U002	ACETONE (I); Also known as 2-PROPANONE (I)
U003	ACETONITRILE (I,T)
U004	ACETONITRILE (I,T)
U005	2, ACETYLAMINOFLUORENE; Also known as ACETAMIDE, N-9H-FLUOREN-2-YL-
U007	ACRYLAMIDE; Also known as 2-PROPENAMIDE
U008	ACRYLIC ACID (I); Also known as 2-PROPENOIC ACID (I)
U009	ACRYLONITRILE; Also known as 2-PROPENENITRILE
U010	AZIRINO[2',3':3,4]PYRROLO[1,2-a]INDOLE-4,7-DIONE,6-AMINO-8- [[(AMINOCARBONYL)OXY]METHYL]-1,1a,2,8,8a,8b-HEXAHYDRO-8a-METHOXY-5- METHYL-, [1aS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]-; Also known as MITOMYCIN C
U011	AMITROLE; Also known as 1H-1,2,-TRIAZOL-3-AMINE
U012	ANILINE (I,T); Also known as BENZENAMINE (I,T)
U014	AURAMINE; Also known as BENZENAMINE, 4,4'-CARBONIMIDOYLBIS[N,N-DIMETHYL-
U015	AZASERINE; Also known as L-SERINE, DIAZOACETATE (ESTER)
U016	BENZ[C]ACRIDINE
U017	BENZAL CHLORIDE; Also known as BENZENE,(DICHLOROMETHYL)-
U018	BENZ[A]ANTHRACENE
U019	BENZENE (I,T)
U022	BENZO[A]PYRENE
U024	DICHLOROMETHOXY ETHANE; Also known as ETHANE, 1,1'-[METHYLENEBIS(OXY)]BIS[2-CHLORO-
U025	DICHLOROETHYL ETHER; Also known as ETHANE,1,1'-OXYBIS[2-CHLORO-
U026	CHLORNAPHAZIN; Also known as NAPHTHALENAMINE, N,N'-BIS(2-CHLOROETHYL)-
U027	DICHLOROISOPROPYL ETHER; Also known as PROPANE, 2,2'-OXYBIS[2-CHLORO-
U028	1,2-BENZENEDICARBOXYLIC ACID, BIS(2-ETHYLHEXYL) ESTER; Also known as DIETHYLHEXYL PHTHALATE
U029	METHANE, BROMO-; Also known as METHYL BROMIDE
U030	BENZENE, 1-BROMO-4-PHENOXY-; Also known as 4-BROMOPHENYL PHENYL ETHER
U031	1-BUTANOL (I); Also known as N-BUTYL ALCOHOL (I)
U032	CHROMIC ACID H2CRO4, CALCIUM SALT; Also known as CALCIUM CHROMATE
U034	CHLORAL; Also known as ACETALDEHYDE, TRICHLORO-
U035	CHLORAMBUCIL; Also known as BENZENEBUTANOIC ACID, 4-[BIS(2- CHLOROETHYL)AMINO]-
U036	CHLORDANE, ALPHA & GAMMA ISOMERS; Also known as 4,7-METHANO-1H-INDENE, 1,2,4,5,6,7,8,8-OCTACHLORO-2,3,3A,4,7,7A-HEXAHYDRO-
U037	CHLOROBENZENE; Also known as BENZENE, CHLORO-

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
EPA WASTE CODE	WASTE DESCRIPTION
U038	CHLOROBENZILATE; Also known as BENZENEACETIC ACID, 4-CHLORO-ALPHA- (4-CHLOROPHENYL)-ALPHA-HYDROXY-, ETHYL ESTER
U039	P-CHLORO-M-CRESOL; Also known as PHENOL, 4-CHLORO-3-METHYL-
U041	EPICHLOROHYDRIN; Also known as OXIRANE, (CHLOROMETHYL)-
U042	2-CHLOROETHYL VINYL ETHER; Also known as ETHENE, (2-CHLOROETHOXY)-
U043	VINYL CHLORIDE; Also known as ETHENE, CHLORO-
U044	CHLOROFORM; Also known as METHANE, TRICHLORO-
U045	METHANE, CHLORO- (I,T); Also known as METHYL CHLORIDE (I,T)
U046	CHLOROMETHYL METHYL ETHER; Also known as METHANE, CHLOROMETHOXY-
U047	BETA-CHLORONAPHTHALENE; Also known as NAPHTHALENE, 2-CHLORO-
U048	O-CHLOROPHENOL; Also known as PHENOL, 2-CHLORO-
U049	4-CHLORO-O-TOLUIDINE, HYDROCHLORIDE; Also known as BENZENAMINE, 4-CHLORO-2-METHYL, HYDROCHLORIDE
U050	CHRYSENE
U051	CREOSOTE
U052	CRESOL (CRESYLIC ACID); Also known as PHENOL, METHYL-
U053	CROTONALDEHYDE; Also known as 2-BUTENAL
U055	CUMENE (I); Also known as BENZENE, (1-METHYLETHYL)- (I)
U056	BENZENE, HEXAHYDRO- (I); Also known as CYCLOHEXANE (I)
U057	CYCLOHEXANONE (I)
U058	CYCLOPHOSPHAMIDE; Also known as 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS (2-CHLOROETHYL)TETRAHYDRO-, 2- OXIDE
U059	DAUNOMYCIN; Also known as 5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHS-L- LYXO- HEXOPYRANOSY)OXY]-7,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1- METHOXY-, (8S-CIS)-
U060	DDD; Also known as BENZENE, 1,1'-(2,2-DICHLOROETHYLIDENE)BIS[4-CHLORO-
U061	DDT; Also known as BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENT)BIS[4-CHLORO-
U062	DIALLATE; Also known as CARBAMOTHIOIC ACID, BIS(1-METHYLETHYL)-, S-(2,3-DICHLORO-2-PROPENYL) ESTER
U063	DIBENZ[A,H]ANTHRACENE
U064	DIBENZO[A,I]PYRENE; Also known as BENZO[RST]PENTAPHENE
U066	1,2-DIBROMO-3-CHLOROPROPANE; Also known as PROPANE, 1,2-DIBROMO-3- CHLORO-
U067	ETHANE, 1,2-DIBROMO-; Also known as ETHYLENE DIBROMIDE
U068	METHANE, DIBROMO-; Also known as METHYLENE BROMIDE

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
EPA WASTE CODE	WASTE DESCRIPTION
U069	DIBUTYL PHTHALATE; Also known as 1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER
U070	o-DICHLOROBENZENE; Also known as BENZENE, 1,2-DICHLORO-
U071	m-DICHLOROBENZENE; Also known as BENZENE, 1,3-DICHLORO-
U072	p-DICHLOROBENZENE; Also known as BENZENE, 1,4-DICHLORO-
U073	3,3'-DICHLOROBENZIDINE; Also known as [1,1'-BIPHENYL]-4,4'-DIAMINE, 3,3'DICHLORO-
U074	1,4-DICHLORO-2-BUTENE (I,T); Also known as 2-BUTENE, 1,4-DICHLORO- (I,T)
U075	DICHLORODIFLUOROMETHANE; Also known as METHANE, DICHLORODIFLUORO-
U076	ETHANE, 1,1-DICHLORO-; Also known as ETHYLIDENE DICHLORIDE
U077	ETHANE, 1,2-DICHLORO-; Also known as ETHYLENE DIBROMIDE
U078	1,1-DICHLOROETHYLENE; Also known as ETHENE, 1,1-DICHLORO-
U079	1,2-DICHLOROETHYLENE; Also known as ETHENE, 1,2-DICHLORO-, (E)
U080	METHANE, DICHLORO-; Also known as METHYLENE CHLORIDE
U081	2,4-DICHLOROPHENOL; Also known as PHENOL, 2,4-DICHLORO-
U082	2,6-DICHLOROPHENOL; Also known as PHENOL,2,6-DICHLORO-
U083	PROPANE, 1,2-DICHLORO-; Also known as PROPYLENE DICHLORIDE
U084	1,3-DICHLOROPROPENE; Also known as 1-PROPENE, 1,3-DICHLORO-
U085	1,2:3,4DIEPOXYBUTANE (I,T); Also known as 2,2'-BIOXIRANE
U086	N,N'-DIETHYLHYDRAZINE; Also known as HYDRAZINE, 1,2,-DIETHYL-
U087	O,O-DIETHYL S-METHYL DITHIOPHOSPHATE; Also known as PHOSPHORODITHIOIC ACID, 0,0-DIETHYL S-METHYL ESTER
U088	DIETHYL PHTHALATE; Also known 1,2-BENZENEDICARBOXYLIC ACID, DIETHYL ESTER
U089	DIETHYLSTILBESTEROL; Also known as PHENOL, 4,4'-(1,2-DIETHYL-1,2- ETHENEDIYL)BIS-, (E)
U090	DIHYDROSAFROLE; Also known as 1,3-BENZODIOXOLE, 5-PROPYL-
U091	3,3'-DIMETHOXYBENZIDINE; Also known as [1,1'-BIPHENYL]-4,4'-DIAMINE, 3,3'DIMETHOXY-
U092	DIMETHYLAMINE (I); Also known as METHANAMINE, N-METHYL- (I)
U093	BENZENAMINE, N,N-DIMETHYL-4-(PHENYLAZO)-; Also known as P-DIMETHYLAMINOAZOBENZENE
U094	BENZ[A]ANTHRACENE, 7,12-DIMETHYL-; Also known as 7,12- DIMETHYLBENZ[A]ANTHRACENE
U095	3,3'-DIMETHYLBENZIDINE; Also known as [1,1'-BIPHENYL]-4,4'-DIAMINE, 3,3'DIMETHYL-
U097	DIMETHYLCARBAMOYL CHLORIDE; Also known as CARBAMIC CHLORIDE, DIMETHYL-
U098	1,1-DIMETHYLHYDRAZINE; Also known as HYDRAZINE, 1,1-DIMETHYL-

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
EPA WASTE CODE	WASTE DESCRIPTION
U099	1,2-DIMETHYLHYDRAZINE; Also known as HYDRAZINE, 1,2,-DIMETHYL-
U101	2,4-DIMETHYLPHENOL; Also known as PHENOL, 2,4-DIMETHYL-
U102	DIMETHYL PHTHALATE; Also known as 1,2-BENZENEDICARBOXYLIC ACID, DIMETHYL ESTER
U103	DIMETHYL SULFATE; Also known as SULFURIC ACID, DIMETHYL ESTER
U105	2,4-DINITROTOLUENE; Also known as BENZENE, 1-METHYL-2,4-DINITRO-
U106	2,6-DINITROTOLUENE; Also known as BENZENE, 2-METHYL-1,3-DINITRO-
U107	DI-N-OCTYL PHTHALATE; Also known as 1,2-BENZENEDICARBOXYLIC ACID, DIOCTYL ESTER
U108	1,4-DIETHYLENEOXIDE; Also known as 1,4-DIOXANE
U109	1,2-DIPHENYLHYDRAZINE; Also known as HYDRAZINE, 1,2-DIPHENYL-
U110	DIPROPYLAMINE (I); Also known as 1-PROPANAMINE, N-PROPYL- (I)
U111	DI-N-PROPYLNITROSAMINE; Also known as 1-PROPANAMINE, N-NITROSO-N-PROPYL-
U112	ACETIC ACID ETHYL ESTER (I); Also known as ETHYL ACETATE (I)
U113	ETHYL ACRYLATE (I); Also known as 2-PROPENOIC ACID, ETHYL ESTER (I)
U114	ETHYLENEBISDITHIOCARBAMIC ACID, SALTS & ESTERS; Also known as CARBAMODITHIOIC ACID, 1,2- ETHANEDIYLBIS-, SALTS & ESTERS
U115	ETHYLENE OXIDE (I,T); Also known as OXIRANE (I,T)
U116	ETHYLENETHIOUREA; Also known as 2-IMIDAZOLIDINETHIONE
U117	ETHANE, 1,1'-OXYBIS-(I); Also known as ETHYL ETHER (I)
U118	ETHYL METHACRYLATE; Also known as 2-PROPENOIC ACID, 2-METHYL-, ETHYL ESTER
U119	ETHYL METHANESULFONATE; Also known as METHANESULFONIC ACID, ETHYL ESTER
U120	FLUORANTHENE
U121	TRICHLOROMONOFLUOROMETHANE; Also known as METHANE, TRICHLOROFLUORO-
U122	FORMALDEHYDE
U124	FURAN (I); Also known as FURFURAN (I)
U125	2-FURANCARBOXALDEHYDE (I); Also known as FURFURAL (I)
U126	GLYCIDYLALDEHYDE; Also known as OXIRANECARBOXYALDEHYDE
U127	HEXACHLOROBENZENE; Also known as BENZENE, HEXACHLORO-
U128	HEXACHLOROBUTADIENE; Also known as 1,3-BUTADIENE, 1,1,2,3,4,4-HEXACHLORO-
U129	LINDANE; Also known as CYCLOHEXANE, 1,2,3,4,5,6- HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)-
U130	HEXACHLOROCYCLOPENTADIENE; Also known 1,3-CYCLOPENTADIENE, 1,2,3,4,5,5-HEXACHLORO-

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
EPA WASTE CODE	WASTE DESCRIPTION
U131	HEXACHLOROETHANE; Also known as ETHANE, HEXACHLORO-
U132	HEXACHLOROPHENE; Also known as PHENOL, 2,2'-METHYLENEBIS[3,4,6- TRICHLORO-
U135	HYDROGEN SULFIDE; Also known HYDROGEN SULFIDE H ₂ S
U136	ARSINIC ACID, DIMETHYL-; Also known as CACODYLIC ACID
U137	INDENO[1,2,3-CD]PYRENE
U138	METHANE, IODO-; Also known as METHYL IODIDE
U140	ISOBUTYL ALCOHOL, (I,T); Also known as 1-PROPANOL, 2-METHYL-, (I,T)
U141	ISOSAFROLE; Also known as 1,3-BENZODIOXOLE, 5-(1-PROPENYL)-
U142	KEPONE; Also known as 1,3,4-METHENO-2H-CYCLOBUTA[CD]PENTALEN-2-ONE, 1,1A,3,3A,4,5,5A,5B,6- DECACHLOROOCTAHYDRO-
U143	LASIOCARPINE; Also known as 2-BUTENOIC ACID, 2-METHYL-, 7-[2,3-DIHYDROXY-2-(1-METHOXYETHYL)-3-METHYL-1- OXOBUTOXY]METHYL]- 2,3,5,6A-TETRAHYDRO-1H-PYRROLIZIN-1-YL ESTER,[1S- 1ALPHA(Z),7(2S [*] ,3R [*]),7AALPHA]]-
U144	ACETIC ACID, LEAD(2+) SALT; Also known as LEAD ACETATE
U145	LEAD PHOSPHATE; PHOSPHORIC ACID, LEAD(2+) SALT (2:3)
U146	LEAD, BIS(ACETATO-O) TETRAHYDROXYTRI-; Also known as LEAD SUBACETATE
U147	MALEIC ANHYDRIDE; Also known as 2,5-FURANDIONE
U148	MALEIC HYDRAZIDE; Also known as 3,6-PYRIDAZINEDIONE, 1,2-DIHYDRO-
U149	MALONONITRILE; Also known as PROPANEDINITRILE
U150	MELPHALAN; Also known as L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]-
U151	MERCYR
U152	METHACRYLONITRILE (I,T); Also known as 2-PROPENENITRILW, 2-METHYL- (I,T)
U153	METHANETHIOL (I,T); Also known as THIOMETHANOL (I,T)
U154	METHANOL (I); Also known as METHYL ALCOHOL (I)
U155	METHAPYRILENE; Also known 1,2-ETHANEDIAMINE, N,N- DIMETHYL-N'-W-PYRIDINYL-N'-(2- THIENYLMETHYL)-
U156	METHYL CHLOROCARBONATE (I,T); Also known CARBONOCHLORIDIC ACID, METHYL ESTER (I,T)
U157	BENZ[I]ACEANTHRYLENE, 1,2-DIHYDRO-3-METHYL-; Also known as 3-METHYLCHOLANTHRENE
U158	BENZENAMINE, 4,4'METHYLENEBIS[2-CHLORO-; Also known as 4,4'-METHYLENEBIS(2-CHLOROANILINE)
U159	METHYL ETHYL KETONE (MEK) (I,T); Also known as 2-BUTANONE (I,T)
U161	METHYL ISOBUTYL KETONE (I); Also known as 4-METHYL-2-PENTANONE (I) and PENTANOL, 4-METHYL-

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
EPA WASTE CODE	WASTE DESCRIPTION
U162	METHYL METHACRYLATE (I,T); Also known as 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER (I,T)
U163	MNNG; Also known as GUANIDINE, N-METHYL-N'-NITRO-N- NITROSO-
U164	METHYLTHIOURACIL; Also known as 4(1H)-PYRIMIDINONE, 2,3-DIHYDRO-6-METHYL-2-THIOXO-
U165	NAPHTHALENE
U166	1,4-NAPHTHALENEDIONE; Also known as 1,4-NAPHTHOQUINONE
U167	1-NAPHTHALENAMINE; Also known as ALPHA-NAPHTHYLAMINE
U168	2-NAPHTHALENAMINE; Also known as BETA-NAPHTHYLAMINE
U169	NITROBENZENE (I,T); Also known as BENZENE, NITRO-
U170	P-NITROPHENOL; Also known as PHENOL, 4-NITRO
U171	2-NITROPROPANE (I,T); Also known as PROPANE, 2-NITRO (I,T)
U172	N-NITROSODI-N-BUTYLAMINE; Also known as 1-BUTANAMINE, N-BUTYL-N-NITROSO-
U173	N-NITROSODIETHANOLAMINE; Also known as ETHANOL, 2,2'-(NITROSOIMINO)BIS-
U174	N-NITROSODIETHYLAMINE; Also known as ETHANAMINE, N-ETHYL-N-NITROSO-
U176	N-NITROSO-N-ETHYLUREA; Also known as UREA, N-ETHYL-N-NITROSO-
U177	N-NITROSO-N-METHYLUREA; Also known as UREA, N-METHYL-N-NITROSO-
U178	N-NITROSO-N-METHYLURETHANE; Also known as CARBAMIC ACID, METHYLNITROSO-,ETHYL ESTER
U179	N-NITROSOPIPERIDINE; Also known as PIPERIDINE, 1-NITROSO-
U180	N-NITROSOPYRROLIDINE; Also known as PYRROLIDINE, 1-NITROSO-
U181	BENZENAMINE, 2-METHYL-5-NITRO-; Also known as 5-NITRO-O-TOLUIDINE
U182	PARALDEHYDE; Also known as 1,3,5-TRIOXANE, 2,4,6- TRIMETHYL-
U183	PENTACHLOROBENZENE; Also known as BENZENE, PENTACHLORO-
U184	PENTACHLOROETHANE; Also known as ETHANE, PENTACHLORO-
U185	PENTACHLORONITROBENZENE (PCNB); Also known as BENZENE, PENTACHLORONITRO-
U186	1,3-PENTADIENE (I); Also known as 1-METHYLBUTADIENE (I)
U187	ACETAMIDE, N-(4-ETHOXYPHENYL)-; Also known as PHENACETIN
U188	PHENOL
U190	PHTHALIC ANHYDRIDE; Also known as 1,3-ISOBENZOFURANDIONE
U191	2-PICOLINE; Also known as PYRIDINE, 2-METHYL-
U192	BENZAMIDE,3,5-DICHLORO-N-(1,1-DIMETHYL-2-PROPYNYL)-; Also known as PRONAMIDE
U193	1,3-PROPANE SULTONE; Also known as 1,2-OXATHIOLANE, 2,2-DIOXIDE
U194	1-PROPANAMINE (I,T); Also known as N-PROPYLAMINE (I,T)

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
EPA WASTE CODE	WASTE DESCRIPTION
U196	PYRIDINE
U197	P-BENZOQUINONE; Also known as 2,5-CYCLOHEXADIENE-1,4-DIONE
U200	RESERPINE; Also known as YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18- [(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-
U201	RESORCINOL; Also known as 1,3-BENZENEDIOL
U202	SACCHARIN, & SALTS; Also known as 1,2-BENZISOTHIAZOL-3(2H)-ONE, 1,1-DIOXIDE, & SALTS
U203	SAFROLE; Also known as 1,3-BENZODIOXOLE, 5-(2- PROPENYL)-
U204	SELENIOUS ACID; Also known as SELENIUM DIOXIDE
U206	STREPTOZOTOCIN; Also known as GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-, D-D-GLUCOSE, 2- DEOXY-2-[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]-
U207	1,2,4,5-TETRACHLOROBENZENE; Also known as BENZENE, 1,2,4,5-TETRACHLORO-
U208	1,1,1,2-TETRACHLOROETHANE; Also known as ETHANE, 1,1,1,2-TETRACHLORO-
U209	1,1,2,2-TETRACHLOROETHANE; Also known as ETHANE, 1,1,2,2-TETRACHLORO-
U210	TETRACHLOROETHYLENE; Also known as ETHENE, TETRACHLORO-
U211	CARBON TETRACHLORIDE; Also known as METHANE, TETRACHLORO-
U213	TETRAHYDROFURAN (I); Also known as FURAN, TETRAHYDRO-(I)
U214	ACETIC ACID, THALLIUM(1+) SALT; Also known as THALLIUM(I) ACETATE
U215	THALLIUM(I) CARBONATE; Also known as CARBONIC ACID, DITHALLIUM(1+) SALT
U216	THALLIUM(I) CHLORIDE; Also known as THALLIUM CHLORIDE TLCL
U217	THALLIUM(I) NITRATE; Also known as NITRIC ACID, THALLIUM(1+) SALT
U218	THIOACETAMIDE; Also known as ETHANETHIOAMIDE
U219	THIOUREA
U220	TOLUENE; Also known as BENZENE, METHYL-
U221	TOLUENEDIAMINE; Also known as BENZENEDIAMINE, AR-METHYL-
U222	BENZENAMINE, 2-METHYL-, Also known as HYDROCHLORIDE O-TOLUIDINE HYDROCHLORIDE
U225	BROMOFORM; Also known as METHANE, TRIBROMO-
U226	ETHANE, 1,1,1-TRICHLORO-; Also known as METHYL CHLOROFORM
U227	1,1,2-TRICHLOROETHANE; Also known as ETHANE, 1,1,2-TRICHLORO-
U228	TRICHLOROETHYLENE; Also known as ETHENE, TRICHLORO-
U235	TRIS(2,3-DIBROMOPROPYL) PHOSPHATE; Also known as 1-PROPANOL, 2,3-DIBROMO-, PHOSPHATE (3:1)
U236	TRYPAN BLUE; Also known as 2,7-NAPHTHALENEDISULFONIC ACID, 3,3'-[(3,3'-DIMETHYL[1,1'- BIPHENYL]-4,4'- DIYL)BIS(AZO)BIS[5-AMINO-4-HYDROXY]-, TETRASODIUM SALT

	TABLE 2-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY
EPA WASTE CODE	WASTE DESCRIPTION
U237	URACIL MUSTARD; Also known as 2,4-(1H,3H)-PYRIMIDINEDIONE, 5-[BIS(2-CHLOROETHYL)AMINO]-
U238	CARBAMIC ACID, ETHYL ESTER; Also known as ETHYL CARBAMATE (URETHANE)
U239	XYLENE (I); Also known as BENZENE, DIMETHYL- (I,T)
U240	ACETIC ACID, 92,4-DICHLOROPHENOXY)-, SALTS & ESTERS; Also known as 2,4-D, SALTS & ESTERS
U243	HEXACHLOROPROPENE; Also known as 1-PROPENE, 1,1,2,3,3,3- HEXACHLORO-
U244	THIOPEROXYDICARBONIC DIAMIDE $[(H_2N)C(S)]_2S_2$, TETRAMETHYL-; Also known as THIRAM
U246	CYANOGEN BROMIDE (CN)Br
U247	BENZENE, 1,1'(2,2,2-TRICHLOROETHYLIDENE)BIS[4-METHOXY-; Also known as METHOXYCHLOR
U248	WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS; Also known as 2H-1-BENZOPYRAN-2-ONE, 4- HYDROXY-3-(3-OXO-1-PHENYL-BUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS
U249	ZINC PHOSPHIDE Zn3P2 WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS
U328	BENZENAMINE, 2-METHYL-; Also known as o-TOLUIDINE
U353	BENZENAMINE, 4-METHYL-; Also known as p-TOLUIDINE
U359	ETHANOL, 2-ETHOXY-; Also known as ETHYLENE GLYCOL MONOETHYL ETHER

	sen erganne eenen	uent Data Summary	
	Organics (lb cons	tituent per lb spent a	ctivated carbon)
CAS NO.	Minimum	Maximum	Average
71-36-3	8.67E-04	8.67E-04	8.67E-04
			4.24E-02
			9.71E-04
			2.51E-03
		1	1.31E-02
			3.28E-03
			2.29E-04
			4.57E-03
			9.99E-04
			7.18E-03
			2.13E-03
			6.06E-03
			3.72E-06
			3.84E-04
			1.39E-03
			3.65E-04
			1.70E-04
			5.20E-04
			1.82E-05
			5.90E-04
			2.73E-03
			9.40E-05
011 14 0			6.24E-03
91-57-6			4.61E-04
			2.14E-05
	2.112.00	2.112.00	2.112.00
	3 40E-05	3 40E-05	3.40E-05
100 ++ 0			8.10E-05
208-96-8			3.30E-04
			1.09E-05
00 02 0			1.92E-06
67-64-1			6.50E-03
			2.50E-05
			9.30E-06
			6.60E-07
		1	1.47E-04
			1.44E-03
			1.33E-06
			3.20E-07
			4.06E-04
			9.69E-06
			1.36E-02
			5.39E-02
			4.76E-04
			3.89E-03
	CAS NO. 71-36-3 110-54-3 75-35-4 75-35-4 79-00-5 79-34-5 106-93-4 95-50-1 107-06-2 540-59-0 78-87-5 96-18-4 95-63-6 156-59-2 156-60-5 541-73-1 106-46-7 58-90-2 78-87-5 96-18-4 95-63-6 156-59-2 111-76-2 611-14-3 91-57-6 95-48-7 108-39-4 & 106-44-5 95-63-6 91-57-6 95-48-7 108-39-4 & 106-44-5 95-48-7 108-39-4 & 106-44-5 9208-96-8 83-32-9 208-96-8 83-32-9 205-99-2 71-43-2 56-55-3 205-99-2 75-27-46 106-97-8 123-86-4 <td>CAS NO. Minimum 71-36-3 8.67E-04 110-54-3 3.86E-04 75-34-3 9.00E-09 75-35-4 2.50E-10 71-55-6 2.50E-09 79-00-5 5.00E-07 79-34-5 1.45E-05 106-93-4 2.50E-08 95-50-1 2.05E-05 107-06-2 0.00E+00 540-59-0 2.50E-08 78-87-5 3.00E-09 96-18-4 3.72E-06 95-63-6 1.10E-07 156-59-2 1.00E-09 156-60-5 7.32E-05 541-73-1 7.40E-05 106-46-7 2.50E-08 58-90-2 1.82E-05 78-92-2 5.90E-04 111-76-2 2.73E-03 611-14-3 9.40E-05 91-57-6 1.63E-05 95-48-7 2.14E-05 108-39-4 & 1.06-45 106-44-5 3.40E-05 95-48-7 2.14E-05 108-39-4 & 1.18E-06</td> <td>Thinkan Thinkan 71-36-3 8.67E-04 8.67E-04 110-54-3 3.86E-04 8.45E-02 75-34-3 9.00E-09 3.20E-02 75-35-4 2.50E-10 2.94E-01 71-55-6 2.50E-09 3.43E-01 79-00-5 5.00E-07 1.41E-02 79-34-5 1.45E-05 3.31E-04 106-93-4 2.50E-05 4.60E-03 107-06-2 0.00E+00 1.39E-01 540-59-0 2.50E-08 7.32E-03 78-87-5 3.00E-09 5.30E-02 96-18-4 3.72E-06 3.72E-06 95-63-6 1.10E-07 4.80E-04 156-59-2 1.00E-09 2.63E-03 156-60-5 7.32E-05 5.44E-04 541-73-1 7.40E-05 5.48E-04 106-46-7 2.50E-08 3.44E-03 58-90-2 1.82E-05 1.82E-05 78-92-2 5.90E-04 5.90E-04 106-44-7 2.14E-05 2.14E-05 108-39-4 & <</td>	CAS NO. Minimum 71-36-3 8.67E-04 110-54-3 3.86E-04 75-34-3 9.00E-09 75-35-4 2.50E-10 71-55-6 2.50E-09 79-00-5 5.00E-07 79-34-5 1.45E-05 106-93-4 2.50E-08 95-50-1 2.05E-05 107-06-2 0.00E+00 540-59-0 2.50E-08 78-87-5 3.00E-09 96-18-4 3.72E-06 95-63-6 1.10E-07 156-59-2 1.00E-09 156-60-5 7.32E-05 541-73-1 7.40E-05 106-46-7 2.50E-08 58-90-2 1.82E-05 78-92-2 5.90E-04 111-76-2 2.73E-03 611-14-3 9.40E-05 91-57-6 1.63E-05 95-48-7 2.14E-05 108-39-4 & 1.06-45 106-44-5 3.40E-05 95-48-7 2.14E-05 108-39-4 & 1.18E-06	Thinkan Thinkan 71-36-3 8.67E-04 8.67E-04 110-54-3 3.86E-04 8.45E-02 75-34-3 9.00E-09 3.20E-02 75-35-4 2.50E-10 2.94E-01 71-55-6 2.50E-09 3.43E-01 79-00-5 5.00E-07 1.41E-02 79-34-5 1.45E-05 3.31E-04 106-93-4 2.50E-05 4.60E-03 107-06-2 0.00E+00 1.39E-01 540-59-0 2.50E-08 7.32E-03 78-87-5 3.00E-09 5.30E-02 96-18-4 3.72E-06 3.72E-06 95-63-6 1.10E-07 4.80E-04 156-59-2 1.00E-09 2.63E-03 156-60-5 7.32E-05 5.44E-04 541-73-1 7.40E-05 5.48E-04 106-46-7 2.50E-08 3.44E-03 58-90-2 1.82E-05 1.82E-05 78-92-2 5.90E-04 5.90E-04 106-44-7 2.14E-05 2.14E-05 108-39-4 & <

Table 2-2

Spent	Activated Carl	bon Organic Consti	tuent Data Summary	
		Organics (lb cons	stituent per lb spent a	ctivated carbon)
Constituent	CAS NO.	Minimum	Maximum	Average
Chloroform	67-66-3	1.40E-08	2.08E-02	1.05E-02
Chloromethane	74-87-3	2.06E-04	2.06E-04	2.06E-04
Chrysene	218-01-9	6.40E-07	6.40E-07	6.40E-07
Cresol	1319-77-3	5.10E-05	1.74E-04	1.13E-04
Cumene	98-82-8	5.78E-06	1.65E-03	4.37E-04
Dibenzofuran	132-64-9	7.66E-06	2.61E-05	1.69E-05
Dicyclopentadiene	77-73-6	6.06E-04	6.49E-02	1.68E-02
Dioxane	123-91-1	1.16E-04	9.20E-04	5.18E-04
Ethanol	64-17-5	3.56E-04	3.56E-04	3.56E-04
Ethyl Acetate	141-78-6	5.87E-03	5.87E-03	5.87E-03
Ethylbenzene	100-41-4	5.00E-10	2.30E-02	1.14E-03
Ethylene Glycol	107-21-1	2.94E-01	2.94E-01	2.94E-01
Fluoranthene	206-44-0	3.11E-06	2.90E-05	1.61E-05
Freon 113	76-13-1	1.10E-09	1.10E-09	1.10E-09
Isobutane	75-28-5	1.42E-02	1.42E-02	1.42E-02
lsopar C		1.27E-03	5.48E-02	2.80E-02
Isopropyl Alcohol	67-63-0	7.00E-03	7.00E-03	7.00E-03
Lindane	58-89-9	1.54E-09	6.70E-06	1.28E-06
m&p-Xylenes	108-38-3		002 00	
	&106-42-3	7.20E-08	2.89E-03	5.90E-04
Methanol	67-56-1	1.36E-01	1.36E-01	1.36E-01
Methoxychlor	72-43-5	2.80E-06	2.80E-06	2.80E-06
Methyl ethyl ketone	78-93-3	1.20E-08	4.10E-03	1.40E-03
Methyl Isobutyl ketone	108-10-1	5.00E-06	4.24E-02	2.94E-03
Methyl methacrylate	80-62-6	2.50E-08	2.50E-08	2.50E-08
methyl tert-butyl ether	1634-04-4	1.22E-07	4.66E-02	5.86E-03
Methylene chloride	75-09-2	1.90E-08	1.30E-01	1.63E-03
Methylnaphthalene	28804-88-8	3.54E-06	5.03E-06	4.29E-06
Naphthalene	91-20-3	6.00E-09	4.93E-03	4.31E-04
n-Hexane	110-54-3	5.51E-04	8.25E-03	4.40E-03
Nitrobenzene	98-95-3	6.99E-06	3.14E-02	4.50E-03
o-Xylene	95-47-6	2.50E-09	9.00E-05	1.22E-05
Pentachlorophenol	87-86-5	1.00E-06	3.97E-03	7.36E-04
Phenanthrene	85-01-8	3.20E-07	2.95E-05	1.08E-05
Phenol	108-95-2	2.00E-07	4.03E-03	1.27E-03
Polychlorinated Biphenyls	1336-36-3	8.00E-07	3.50E-06	2.15E-06
Propylbenzene	103-65-1	9.00E-05	9.00E-05	9.00E-05
Propylene glycol	107-98-2	0.002 00	0.002.00	0.002 00
monomethyl ether acetate	101 00 2	1.45E-02	1.45E-02	1.45E-02
Propylene oxide	75-56-9	4.30E-09	4.00E-03	1.00E-03
Styrene	100-42-5	2.50E-08	3.97E-02	3.57E-03
Tetrachloroethane	630-20-6 &	2.002 00	0.07 2 02	5.07 2 00
	79-34-5	2.96E-03	2.96E-03	2.96E-03
Tetrachloroethylene	127-18-4	0.00E+00	1.59E-01	1.84E-02
Tetrahydrofuran	109-99-9	4.16E-04	4.16E-04	4.16E-04

Table 2-2

Table 2-2

Spent Activated Carbon Organic Constituent Data Summary					
		Organics (Ib constituent per Ib spent activated carbon)			
Constituent	CAS NO.	Minimum	Maximum	Average	
Toluene	108-88-3	1.60E-09	1.30E-01	8.68E-03	
Trichloroethylene	79-01-6	2.50E-09	2.17E-01	2.24E-03	
Trichlorofluoromethane	75-69-4	1.00E-07	4.00E-02	1.42E-03	
Triethylamine	121-44-8	9.54E-03	9.54E-03	9.54E-03	
Tris(hydroxymethyl)					
Aminomethane		1.77E-02	1.77E-02	1.77E-02	
Vinyl Chloride	75-01-4	2.30E-08	2.40E-05	2.58E-06	
Xylene	1330-20-7	8.00E-10	1.59E-01	3.41E-03	

All data reported on a dry carbon basis.

Note: The information presented in this table is considered typical but should not be considered limiting.

Table 2-3 Spent Activated Carbon Characterization Summary

Stream Type: Solid Stream Name: Spent Activated Carbon Feed Method: Dewatering screw, conveyor belt and rotary airlock

Constituent/Property	Units	Value	
		Typical	Range
Organic Constituents (a)			
Total organics	wt%	3.1	2 - 4
Inorganic Constituents			
Water	wt%	43.5	30 - 50
RCRA Metals (a)			
Antimony	mg/kg	<10	<10
Arsenic	mg/kg	2.8	1.2 - 19
Barium	mg/kg	38.3	1 - 110
Beryllium	mg/kg	0.5	<0.1 - 0.7
Cadmium	mg/kg	0.7	<0.5 - 6.9
Chromium	mg/kg	11	3.1 - 240
Chromium (VI)	mg/kg	<0.9	<1
Lead	mg/kg	2.7	<2 - 25
Mercury	mg/kg	0.1	0 - 0.5
Nickel	mg/kg	21.3	7.5 - 140
Selenium	mg/kg	<2	<1 - 3.9
Silver	mg/kg	1	<0.5 - 1.6
Thallium	mg/kg	10.7	<5 - 29
Other Metals (a)			
Cobalt	mg/kg	4.8	2.1 - 19
Copper	mg/kg	31.4	12 - 60
Manganese	mg/kg	223	54 - 590
Vanadium	mg/kg	6.2	3.7 - 7.9
Zinc	mg/kg	35.4	22 - 44
Elemental Composition (b)			
Carbon (from spent carbon)	wt%	94.5	70 - 99
Carbon (from organic adsorbed on carbon)	wt%	2.9	1.6 - 25
Hydrogen	wt%	0.4	0.2 - 8
Oxygen	wt%	0.5	0.3 - 5
Nitrogen	wt%	0.1	0.06 - 0.5
Sulfur	wt%	0	<0.1
Phosphorous	wt%	0	<0.1
Chlorine/chloride	wt%	1.5	0 - 5
Bromine/bromide	wt%	0	<0.1
Fluorine/fluoride	wt%	0	<0.1
lodine/iodide	wt%	0	<0.1

(a) - As fed basis (wet)

(b) - Dry basis (as received)

Note: The information presented in this table is considered typical but should not be considered limiting.

2.4.3 EXPECTED SPENT CARBON HAZARDOUS CHARACTERISTICS

In order for the facility to properly store, manage and treat spent carbon, the hazardous characteristics of the spent carbon need to be identified. The nature and extent of these characteristics guide employee health and safety programs and determine management strategies.

Hazardous characteristics of corrosivity, ignitability, reactivity, and toxicity are defined at 40 CFR Part 261. Spent carbon characterized by the generator as corrosive or reactive is not accepted at the facility.

Spent carbon characterized by the generator as ignitable may be accepted by the facility. Any ignitable waste received by the facility will be mixed with the motive water that is required to transfer the spent carbon into tank storage prior to reactivation to reduce the ignitability of the waste prior to introduction into tank storage and reactivation.

2.4.4 ACCEPTABLE REGULATED WASTES

The hazardous waste codes acceptable for reactivation at the facility are listed and defined in Table 2-1. The complete list of RCRA-regulated wastes that may be adsorbed onto the activated carbon to be processed at the facility is provided in this table. D-series wastes are characteristic wastes, F-series wastes are from non-specific sources, K-series wastes are from specific sources, P-series wastes are acutely hazardous commercial chemical products, and U-series wastes are toxic commercial chemical products.

The only type of waste that the reactivation facility will accept is spent carbon. The facility will not accept spent carbon containing Toxics Substance Control Act (TSCA) - regulated levels of polychlorinated biphenyls (PCBs), F listed dioxin wastes, infectious wastes, radioactive wastes (as regulated by the Nuclear Regulatory Commission) or spent carbon exhibiting the characteristics of corrosivity or reactivity.

3.0 THE CONTINGENCY PLAN

3.1 COPIES

An updated copy of the Contingency Plan will be maintained at the facility administration building file room at all times. In addition, a copy of the plan and copies of all revisions to the plan will be submitted to the following entities that may be called upon to respond to an emergency situation: The Colorado River Indian Tribes Fire Department and Police Department, the Town of Parker Fire Department and Police Department, and the La Paz Regional Hospital. A copy of the contingency plan will also be submitted with the Part B application.

3.2 AMENDMENTS

The Contingency Plan will be reviewed and immediately amended, if necessary, whenever one of the following occurs.

- The facility RCRA Part B permit is revised.
- The plan fails in an emergency;
- The facility changes in its design, construction, operation, maintenance or other circumstances in a way that materially increases the potential for fires, explosions or releases of hazardous waste or hazardous waste constituents or changes the response necessary in an emergency;
- The list of Emergency Coordinators changes; or
- The list of emergency equipment changes.

3.3 TRAINING

Each new employee will be familiarized with the Contingency Plan, including evacuation procedures and emergency response procedures, during the employee's initial orientation. The Contingency Plan training will be documented in the employee's permanent record.

All employees will receive refresher training on the Contingency Plan as necessary. Training sessions will be scheduled after any substantive amendments are made to the plan for those employees who are affected by the amendments.

4.0 RESPONSIBLE AGENCIES

4.1 OFF-SITE RESPONSE AGENCIES

DESOTEC has agreements with several agencies to respond to emergency situations that may require outside assistance. The agencies have received a copy of the Contingency Plan and were familiarized with the layout of the facility including access roads, places where personnel would normally be working, the properties of hazardous wastes handled at the facility and possible evacuation routes. A copy of the agreements with each agency is located in Appendix A.

Below is a list of the response agencies and their responsibilities during an emergency situation.

Colorado River Indian Tribes (C.R.I.T.) Fire Department	928-662-4388	Primary Responding Agency Will set up an Incident Command System (ICS) and the senior fire department official would assume the role of Incident Commander. Has authority over all other responding agencies. Responsible for leading all fire fighting efforts, clean-up efforts and evacuation procedures.
C.R.I.T. Police Department	928-669-9277	Responsible to C.R.I.T. Fire Department. Will aid in clean-up efforts and evacuation procedures as required.
Parker Fire Department	928-669-2206	Responsible to C.R.I.T. Fire Department. Will aid in fire fighting efforts, clean-up efforts and evacuation procedures as required.
Parker Police Department	928-669-2264	Responsible to C.R.I.T. Fire Department. Will aid in clean-up efforts and evacuation procedures as required.

4.2 OFF-SITE MEDICAL ASSISTANCE

The medical facility that will handle any casualties occurring during an emergency situation, including paramedic service and hospital care, is:

La Paz Regional Hospital 928-669-9201

The hospital has been familiarized with the properties of hazardous wastes handled at the facility and the types of injuries that could result from fires, explosions or releases at the facility. A copy of the agreement with La Paz Regional Hospital is located in Appendix A.

4.3 OTHER EMERGENCY CONTACTS

The following is a list of other authorities that may be called upon to provide assistance in an emergency situation. All of the agencies would be responsible to the C.R.I.T. Fire Department.

Arizona Highway Patrol	911
California Highway Patrol	911
Southwest Gas Company	800-528-4277
Bureau of Indian Affairs Colorado River Agency (Power Company)	928-669-7123
C.R.I.T.	928-669-9211

Environmental Compliance Officer

The following agencies may also be notified in the event of emergency.

U.S. Environmental Protection Agency Region IX	415-972-4400
C.R.I.T. Environmental Coordinator	928-669-9211 OR 928-662-4336
National Response Center	800-424-8802

5.0 EMERGENCY COORDINATOR

5.1 EMERGENCY COORDINATOR AND ALTERNATE

The site has an Emergency Coordinator who is responsible for carrying out the Contingency Plan in the event of an emergency. He/She has the authority to commit any resources needed to carry out the Contingency Plan in an emergency situation. The site also has Alternate Emergency Coordinator(s) who have full authority to perform the functions of the Emergency Coordinator should the Emergency Coordinator be unavailable. In the remaining text, "Emergency Coordinator" will refer to either the Emergency Coordinator or his/her Alternate(s).

The Emergency Coordinator will be on site or on call 24 hours a day. He will normally be at the facility during daytime business hours. If not on site, he will be contacted immediately in the event of an emergency. Until the Emergency Coordinator reaches the site, the Plant Operator will take the role of Acting Emergency Coordinator. If necessary, the Emergency Coordinator will grant the Plant Operator authority to commit the resources needed to carry out the Contingency Plan in his absence.

The Emergency Coordinator, Alternate(s), and Plant Operators will be thoroughly familiar with all aspects of the Contingency Plan, all operations and activities at the facility, the location and characteristics of wastes handled and the location of all records within the facility.

The Emergency Coordinator is:

Name:	Russell Smith	
Address:	2523 Mutahar Street; Parker, Arizona	
Telephone:	(928) 669-5758	
Cell Phone:	(724) 761-6998	

The Alternate Emergency Coordinator(s) is:

Name:	Jarrod Caswell	
Address:	2523 Mutahar Street; Parker, Arizona	
Telephone:	(928) 669-5758	
Cell phone:	(928) 846-5487	

5.2 EMERGENCY COORDINATOR RESPONSIBILITIES

The Emergency Coordinator is responsible for coordinating the following emergency response measures at the facility in accordance with the requirements of 40 CFR 264.56. If necessary, the Plant Operator will perform Emergency Coordinator functions until the

arrival on-site of the Emergency Coordinator. An emergency situation is defined as a fire or explosion, or a significant uncontrolled release of materials that has the potential to threaten human health and the environment.

5.2.1 NOTIFICATION

Whenever there is an imminent or actual emergency situation, the Emergency Coordinator will, where applicable, immediately notify all personnel at the facility via the public address system, alarm system or other direct means, if the public address system is not operational. When hazardous waste is being handled, all employees involved the these activities have immediate access to an internal alarm, or emergency device, either directly or through visual or voice contact with another employee. Communication devices include portable radios, and the site telephone/paging systems located throughout the facility. Employees typically work in pairs when handling hazardous waste.

The Emergency Coordinator will also notify appropriate agencies with designated response roles if their assistance is needed. Section 4.0 contains a list of local agencies and their designated responsibilities.

5.2.2 IDENTIFICATION OF HAZARDOUS MATERIALS

Whenever there is an emergency situation, the Emergency Coordinator will identify, if possible, the character, exact source, amount and a real extent of any spilled or released materials. This may be done by observation, review of facility records, review of manifests or material safety data sheets and, if necessary, by chemical analysis.

5.2.3 ASSESSMENT OF HEALTH EFFECTS

Concurrently, the Emergency Coordinator will assess the possible hazards to human health or the environment that may result from the emergency situation. The assessment will consider both the direct and indirect effects of the release, fire or explosion (e.g., the effects of any toxic, irritating or asphyxiating gases that may be generated or the effects of any hazardous surface water run-off from water or chemical agents used to control fire and heat-induced explosions).

5.2.4 OFF-SITE HEALTH EFFECTS

Should the Emergency Coordinator determine that the emergency situation could threaten human health or the environment outside of the facility boundaries, the Emergency Coordinator will report the findings of his assessments as follows, in accordance with the requirements of 40 CFR 264.56(d):

- 1) If evacuation of local areas may be advisable, he will immediately notify the Colorado River Indian Tribes Fire Department and the Tribal Environmental Compliance Officer. The Parker Fire Department will be called in by the C.R.I.T Fire Department (see Section 4.0 for a list of off-site emergency response agencies and their responsibilities; see Section 8.0 for evacuation procedures).
- 2) He will immediately notify the National Response Center at 800-424-8802 and provide the following information:

- Name and telephone number of reporter
- Name and address of the facility
- Time and type of the incident (e.g., fire, explosion or release)
- Name and quantity of material(s) involved, to the extent known
- Extent of injuries, if any
- Possible hazards to human health or the environment outside the facility.

5.2.5 PREVENTION OF SPREAD OR RECURRENCE OF EMERGENCY

It is the responsibility of the Emergency Coordinator during an emergency to take all reasonable measures to ensure that fires, explosions and releases do not occur, recur, or spread to other hazardous wastes at the facility. These measures include, where applicable, stopping operations, collecting and containing released waste and removing or isolating containers.

The Emergency Coordinator will also maintain surveillance of other areas of the facility to make certain they are not affected. Containers may be removed or isolated from the area of the release to prevent contact with released materials or to prevent ignition in the event of a fire. If the facility stops operation in response to an emergency situation, the Emergency Coordinator will monitor the affected areas for imminent hazards (e.g. pressure buildup, ruptured valves or pipes, leaks or gas generation) where appropriate.

5.2.6 CONTAMINATED MATERIALS

After an emergency, the Emergency Coordinator will take all reasonable measures to provide for treating, storing or disposing of recovered waste, contaminated soil or surface water or any other material that results from an emergency situation at the facility. Hazardous wastes will be managed in full compliance with applicable requirements. For example, contaminated materials may be placed in sealed containers and stored within a containment area while the materials are characterized and arrangements are made for proper disposal.

5.2.7 INCOMPATIBLE WASTE AND EMERGENCY EQUIPMENT

In the affected areas of the facility, no hazardous waste that may be incompatible with the contaminated materials will be treated or accepted for storage on site, or disposed of until cleanup procedures are completed. Materials appropriate for use in responding to an emergency include "oil-dry" type sorbents, absorbent boom and barrier materials, activated carbon, sand, water, etc. There are few, if any, reactivity or incompatibility issues associated with the materials treated at the facility. Specific exclusions of reactive wastes are contained in other portions of the permit documents.

5.2.8 COMPLETION OF CLEANUP

In the event the facility is required to stop operations in response to an emergency situation, the emergency equipment used to respond to the emergency situation will be cleaned and/or made fit for its intended use, or replaced, before operations are resumed (see Section 6.0 for a list of emergency equipment and their uses). The Plant Manager will be responsible for notifying EPA and any appropriate local authorities so that the facility

has complied with 40 CFR 264.56 (h) and (i) before operations are resumed in the affected areas of the facility. The procedures to be followed before resuming operations are set forth in Section 9.2.

5.2.9 RECORD OF EMERGENCIES

The Emergency Coordinator, or appointed alternate, will record the time, date, and details of any emergency incident in the operating record in accordance with 40 CFR 264.56(i). The Plant Manager is responsible for submitting any required reports (see Section 9.0).

6.0 EMERGENCY EQUIPMENT

A list of all emergency equipment at the Desotec US LLC Parker facility is located in Table 6-1. Appendix D shows the location of all emergency equipment within the facility. All facility communications and alarm systems, fire protection equipment, spill control equipment and decontamination equipment will be tested and maintained as necessary to assure proper operation in time of emergency.

A description of the emergency equipment is provided below.

6.1 FIRE EXTINGUISHERS

DESOTEC has a minimum of nine 10-pound (or greater) ABC dry chemical fire extinguishers located throughout the facility.

6.2 FIRE SPRINKLERS

The main warehouse is equipped with a fire sprinkler system that is automatically activated in the event of a fire. Water pressure checks are included in the monthly inspections and the entire system is inspected annually by an outside firm.

6.3 SPILL CONTROL EQUIPMENT

Absorbent materials and spill cleanup equipment are available in a dedicated storage area at the facility. The spill control kits include the following, at a minimum:

- Inert adsorbents
- Absorbent pads and/or booms
- · Shovels
- Neutralizing agents (soda ash and/or lime).


At least one forklift is available for moving palletized absorbent materials and removing containerized spill cleanup residues.

6.4 COMMUNICATIONS EQUIPMENT

It is expected that the facility will be occupied at all times. Telephone service, with a paging system, is available at several locations in the plant. The Emergency Coordinator will remain available (on call) when they are not present at the facility.

When hazardous waste is being handled, all employees involved the these activities have immediate access to an internal alarm, or emergency device, either directly or through visual or voice contact with another employee. Communication devices include portable radios, and the site telephone/paging systems located throughout the facility. Employees typically work in pairs when handling hazardous waste.

Location of Emergency Equipment (Ground Floor)



REVISION 3

6.5 ALARM SYSTEMS

There is a local alarm system with activation points in the storage and warehouse building. The alarm system consists of a control panel located on the west, outside wall of the control room and pull switches separated in four zones. If the alarm sounds, the control panel will display the "zone" (1,2,3 or 4) in which the alarm was pulled. The alarm system provides a warning system at the facility; it is not directly connected to the fire department.

6.6 DECONTAMINATION EQUIPMENT

Two emergency shower and eyewash stations are located in the reactivation area. Detergents are also provided for decontamination of facilities and equipment as necessary. Detergent and water, or water alone, are appropriate decontamination agents for all equipment which may be used in responding to a spill or emergency. Equipment should be thoroughly washed and rinsed, and all decontamination solution will be collected and managed in the facility wastewater treatment system, or sent off-site for disposal.

6.7 OTHER EMERGENCY EQUIPMENT

All waste handling employees are provided with a wide range of personal protective equipment that includes the following.

- Respirators with particulate and organic vapor cartridges
- Self-contained breathing apparatus (minimum of two 30-minute air supply). These units may be used in the event of a major unplanned release of materials such as the rupture of a spent carbon storage tank or a slurry truck. The unit would be used by the employee evaluating the release area for the unlikely presence of toxic fumes.
- Protective clothing (hard hats, gloves, safety glasses, boots)

The facility also has at least one first aid kit to handle injuries that may occur in emergency and non-emergency situations.

			1
Equipment Type	Quantity (Minimum)	Brand/ Model (or equivalent)	Capabilities/ Specifications
Emergency Alarm w/Four Actuators	1	Fire Lite/ Miniscan 5210 UD	Control panel indicates the zone in which the emergency actuator alarm has been pulled
Emergency Showers/ Eyewashes	2	Encon Model 3581-1900	For flushing eyes and skin
Fire Alarm System - Manual and Automatic	1	Fire Lite	Manual - pull switches; Automatic – when sprinkler system activates
Fire Extinguishers		Amerex	10 pound (or greater) ABC; dry chemical
First Aid Kit	1		General
Protective Clothing - Hard Hats, Gloves, Safety Glasses	Assigned to Each Employee plus Spare Units		
Respirators	Assigned to Each Waste Handling Employee plus Spare Units	Scott/65	With particulate and organic filters
Self-Contained Breathing Apparatus	2	Scott Air Pak 22	30-minute air supply
Spill Control Equipment	1	Spilfyter	95 gallon
Sprinkler Systems	2	Grinnel	314 gpm @ 22.1 psi
Telephones w/Paging System	2	AT&T Partner II	Page throughout plant

15

TABLE 6-1. EMERGENCY EQUIPMENT

US

7.0 EMERGENCY RESPONSE PROCEDURES

No employee will take an active role responding to an emergency unless they have completed the initial training program for any employee who has the potential to handle hazardous waste as described in the DESOTEC Personnel Training Plan. Any employee who has not completed the program will remain in a clear area as instructed by the Emergency Coordinator until the emergency has passed.

No personnel will respond to an emergency without donning appropriate protective clothing and/or a breathing apparatus, depending on the type of emergency.

The general emergency response procedures for explosions, fires and releases of hazardous waste or hazardous waste constituents are described below. The procedures are summarized in table format in Appendix B.

7.1 EXPLOSIONS AND/OR FIRES

In the event of an explosion or fire, the following actions will be taken, as appropriate.

- 1) Any person discovering a fire/explosion will immediately sound the alarm and contact the Plant Operator. They will also determine the nature and source of the fire and correct it to the extent that they can do so without significant risk to him/herself or others.
- 2) The Plant Operator will contact the Emergency Coordinator and will assist in contacting appropriate emergency response agencies (see Section F.3) as determined necessary by the Emergency Coordinator. IfDesotec US LLC capabilities are not adequate to extinguish the fire, the C.R.I.T. Fire Department will be notified immediately by dialing (928)662-4388.
- 3) The Emergency Coordinator shall:
 - Remove all nonessential personnel and equipment from the vicinity of the fire
 - Access available equipment, supplies and trained personnel for use in responding to the incident
 - Utilize trained personnel and/or allow fire department personnel to control and/or extinguish any fire and reduce the chance of further fires or explosion
 - Determine the cause of the explosion or fire and correct it
 - · Close down all or part of the facility, if necessary.

- 4) As long as there is no significant risk to themselves or others, trained employees shall:
 - Shut off the fuel source to the fire, if possible
 - Attempt to control the fire with dry chemical fire extinguishers (for Class A, B and C fires) and/or water (for Class A fires)
 - Shut off any operating equipment, treatment processes, etc. in the vicinity of the fire
 - Shut off electrical power in the area affected by the fire
 - · If flammable materials are involved, remove all sources of ignition in the vicinity of the fire.

7.2 RELEASES OF HAZARDOUS WASTE

The response procedures described below are for the release of hazardous waste or hazardous waste constituents to the air or solid/liquid releases to the ground. Special considerations are made based on the location (inside or outside of a containment area) and amount of the release.

7.2.1 RELEASE OF TOXIC EMISSIONS

If there is any indication of the possible presence of toxic fumes that constitute an emergency, the following actions will be taken as appropriate.

- Any person discovering the fumes or possible presence of fumes will determine the nature, source and location of the fumes and, if appropriate, immediately sound the nearest facility alarm horn or announce the emergency via the plant intercom system and notify the Plant Operator. The person will then correct the problem, if possible without significant risks to themselves or others.
- 2) The Plant Operator will immediately contact the Emergency Coordinator, or if not available, one of the alternate Emergency Coordinators.
- 3) If an emergency situation is verified, operations will cease and all personnel will be removed to a well-ventilated location until the situation is corrected. All trained personnel that may assist in correcting the source of the fumes will wear proper respiratory equipment and follow confined space entry procedures.
- 4) The Emergency Coordinator shall:

- Immediately assess the possible hazards and implement additional emergency procedures if applicable
- Contact the C.R.I.T. Fire Department and the National Response Center if the release could threaten human health or the environment outside of the facility
- Notify the C.R.I.T. Environmental Compliance Officer who may make other State and local notifications at his discretion
- Remove all nonessential personnel and equipment from the vicinity of the fire
- Access available equipment, supplies and trained personnel for use in responding to the incident
- · Utilize trained personnel to control and/or reduce the chance of further release
- Determine the cause of the release and correct it
- · Close down all or part of the facility, if necessary.
- 5) As long as there is no significant risk to themselves or others, and if the action is warranted by the emergency situation, trained employees shall:
 - Discontinue the waste transfer operation by closing appropriate valves and de-energizing transfer equipment
 - Secure the lids on any open waste containers
 - · Remove all sources of ignition from the area.

7.2.2 RELEASE OF SOLIDS

7.2.2.1 WITHIN CONTAINMENT AREA

The following steps are to be taken by trained personnel in the event of a release of solid material that constitutes an emergency situation within the containment area.

- 1) Locate the source and stop the release.
- 2) Notify the Plant Operator of the emergency situation, who will in turn notify the Emergency Coordinator.

- 3) Clean up the released material and place in a container. Take filled container to the spent carbon storage area and label properly.
- 4) Decontaminate the area of the spill.
- 5) Clean any tools used during clean up (with detergents if necessary). The cleaning solution will be containerized or rinsed to the sump.
- 6) The Emergency Coordinator will inspect the area to identify any further clean-up requirements and provide instructions related to the disposition of the released materials placed in containers.

7.2.2.2 OUTSIDE CONTAINMENT AREA

The following steps are to be taken by trained personnel in the event of a release of solid material that constitutes an emergency situation outside the containment area.

- 1) Locate the source and stop the release.
- 2) Notify the Plant Operator of the emergency situation, who will in turn notify the Emergency Coordinator.
- 3) The Emergency Coordinator will immediately contact the C.R.I.T. Fire Department and the National Response Center if the release could threaten human health or the environment outside the facility.
- 4) Clean up the released material, and any other materials in the release area that may have come in contact with the released material, and place in a container. Take filled container to the spent carbon storage area and label properly.
- 5) Clean any tools used during clean up (with detergents if necessary) inside the containment area. The cleaning solution will be containerized or rinsed to the sump.
- 6) The Emergency Coordinator will inspect the area to identify any further clean-up requirements and provide instructions related to the disposition of the released materials placed in containers.

7.2.3 RELEASE OF LIQUIDS

7.2.3.1 WITHIN CONTAINMENT AREA

The following steps are to be taken in the event of a liquid release that constitutes an emergency situation within the containment area.

1) Locate the source and stop the release, if possible.

- 2) Notify the Plant Operator of the emergency situation, who will in turn notify the Emergency Coordinator.
- 3) Allow free liquids to flow to the nearest sump. After as much free liquid as possible has been drained to the sump, place any remaining solid material in a container. Take filled container to the spent carbon storage area and label properly.
- 4) Decontaminate the area of the spill, directing water to the nearest sump.
- 5) Clean any tools used during clean up (with detergents if necessary). The cleaning solution will be containerized or rinsed to the sump.
- 6) The Emergency Coordinator will inspect the area to identify any further clean-up requirements and provide instructions related to the disposition of the released materials placed in containers.

7.2.3.2 OUTSIDE CONTAINMENT AREA

The following steps are to be taken in the event of a liquid release outside the containment area that constitutes an emergency situation.

- 1) Locate the source and stop the release, if possible.
- 2) Notify the Plant Operator of the emergency situation, who will in turn notify the Emergency Coordinator.
- 3) The Emergency Coordinator will coordinate the following actions:
 - The contacting of any appropriate emergency response agencies
 - The removal of all nonessential personnel and equipment from the vicinity of release
 - The provision of equipment and supplies appropriate for use in responding to the incident
 - The utilization of trained personnel and equipment and/or fire department personnel to contain the release in the smallest possible area. Adsorbents, earth and/or containment boom material may be used as appropriate
 - The immediate notification of the C.R.I.T. Fire Department and the National Response Center if a release could threaten human health or the environment outside the facility. Also, the C.R.I.T. Environmental Coordinator must be notified if a spill contacts or threatens surface waters off site.

- · The initiation of shutdown of all or part of the facility, if warranted
- The collection of released material, any soil that came into contact with the released material and any adsorbents in containers. The containers will be placed in the spent carbon storage area and labeled properly.
- The inspection of the release area to ensure it is properly cleaned
- The determination of final disposition of any materials placed in containers during the clean-up.
- 4) Clean any tools used during clean up (with detergents if necessary) inside the containment area. The cleaning solution will be containerized or rinsed to the sump.

7.3 PERSONAL INJURY

Should a person be injured for any reason, immediate steps will be taken to determine the cause and extent of the injury and to apply first aid and/or decontamination if appropriate. A DESOTEC management official will be notified immediately and the paramedics will be called if the injury requires it. If the injured person needs hospital care, they will be transported to the La Paz Regional Hospital. If exposure to a hazardous waste is involved, a copy of the manifest (where applicable), together with any appropriate safety data, will be sent with the injured person. The Emergency Coordinator will remain available for consultation.

In accordance with company policy, any person who receives an on-the-job injury will be required to report the injury to DESOTEC management.

8.0 EVACUATION PROCEDURES

In the event that an emergency situation would pose an imminent threat to personnel health, life or safety, the Emergency Coordinator will evacuate the facility or portions of the facility affected by the incident. If evacuation is warranted, the Emergency Coordinator will advise local public safety agencies of the potential threat to persons in the vicinity of the facility. In all cases when the local fire or police departments respond, the Emergency Coordinator will coordinator will cooperate fully and comply with their instructions.

8.1 EVACUATION ALERT

All personnel will be alerted by voice over the plant public address system, plant alarm system or directly by supervisory personnel if an accident or incident occurs which requires evacuation of the facility. Employees will be advised immediately if evacuation is required as determined by criteria in Section 8.2 and will be directed to leave via established routes to the designated assembly point. Evacuation routes and the designated assembly point are shown in Appendix E.

8.2 EVACUATION SITUATIONS

Situations that would warrant partial or complete evacuation of the facility are as follows.

8.2.1 Explosions

An actual or imminent explosion would require an evacuation due to potential toxic emissions, heat, pressure and flying debris. At a minimum, personnel will evacuate to the designated assembly point. A greater distance from the hazard or potential hazard may be warranted due to flying debris or toxic fumes or may be requested by the responding C.R.I.T. Fire Department.

8.2.2 Releases or Adverse Chemical Reactions

The major threat from releases or adverse chemical reactions is the potential formation of toxic fumes. All personnel without appropriate respiratory protection equipment will be evacuated in an upwind direction to a point where they are clear of the fumes.

8.2.3 Fire

Fire presents a hazard because of heat and potentially toxic fumes. All personnel not responding to the emergency will evacuate to the designated assembly point. Personnel assisting in the fire fighting efforts will respond to instructions from the C.R.I.T. Fire Department, as necessary.

8.2.4 All Other Incidents

All personnel will be evacuated from the facility and vicinity whenever their personal health and safety cannot be adequately protected.

9.0 REPORTING AND RECORDKEEPING REQUIREMENTS

9.1 OFF-SITE THREATS [40 CFR 264.56(d)]

If an emergency threatens human health or the environment outside the facility boundaries, the Emergency Coordinator will immediately notify the National Response Center as described in Section 5.2.4.

9.2 OPERATING RECORD [40 CFR 264.54, 264.56(i)]

DESOTEC will make a note in the operating record to include the time, date and details of any incident deemed to be an emergency situation that requires the implementation of the Contingency Plan.

The contingency plan will be reviewed, and immediately amended, if necessary, whenever:

- The facility permit is revised;
- The plan fails in an emergency;
- The facility changes—in its design, construction, operation, maintenance, or other circumstances—in a way that materially increases the potential for fires, explosions, or releases of hazardous waste or hazardous waste constituents, or changes the response necessary in an emergency;
- The list of emergency coordinators changes; or
- The list of emergency equipment changes.

9.3 INCIDENT REPORTING [40 CFR 264.56(i)]

Within 15 days after an incident deemed to be an emergency situation that requires implementation of the Contingency Plan, DESOTEC will submit a written report to the U.S. EPA Region IX office. The report will include, at a minimum, the following:

- Name, address and telephone number of the owner or operator
- · Name, address and telephone number of the facility
- Date, time and type of incident (e.g., fire, explosion)
- Name and quantity of material(s) involved
- The extent of injuries, if any
- An assessment of actual or potential hazards to human health or the environment, where applicable
- Estimated quantity and disposition of recovered material that resulted from the incident.

9.4 RELEASES TO THE ENVIRONMENT

DESOTEC will report any release to the environment, that may impact human health or the environment, from hazardous waste tank systems or secondary containment systems, to the Regional Administrator within 24 hours of its detection.

If the cause of the release was a spill that has not damaged the integrity of the system, it may be returned to service as soon as the released waste is removed and repairs, if necessary, are made.

If the cause of the release was a leak from the primary tank system into the secondary containment system, the system must be repaired prior to returning the tank system to service.

APPENDIX A

RESPONSE AGENCY AGREEMENTS

APPENDIX B

EMERGENCY RESPONSE PROCEDURES

EMERGENCY RESPONSE PROCEDURES

Fire or Explosion

- 1. Upon discovering a fire or explosion, sound the alarm and contact the Plant Operator. Follow the directions of the Plant Operator, Emergency Coordinator and off-site Incident Commander, if applicable.
- 2. Clear the area of all nonessential personnel. Follow evacuation procedures if instructed to do so.
- 3. <u>Trained employees only</u> (see note below) undertake the following actions if possible without significant risk to yourself or others.
 - a. Shut off the fuel source to the fire, if possible.
 - b. Attempt to control the fire with dry chemical fire extinguishers (Class A, B and C fires) and/or water (Class A fires).
 - c. Shut off any operating equipment, treatment processes, etc. within the vicinity of the fire.
 - d. Shut off electrical power in the area affected by the fire.
 - e. Isolate or remove all other possible sources of ignition from the vicinity of the fire.

Releases of Toxic Fumes

- 1. If toxic fumes or vapors are believed to be present, notify the Plant Operator who will then report the incident to the Emergency Coordinator. If human health or the environment outside the facility boundaries could be threatened, the Emergency Coordinator will notify the **Colorado River Indian Tribes Fire Department** and the **National Response Center**.
- 2. Clear the area of all nonessential personnel. Follow evacuation procedures if instructed to do so.
- 3. <u>Trained employees only</u> (see note below) undertake the following actions if possible without significant risk to yourself or others and only if you have donned the proper protective clothing and breathing apparatus and followed all confined space entry procedures.
 - a. Discontinue the waste transfer operation by closing appropriate valves and de-energizing transfer equipment.
 - b. Secure the lids on any open waste containers.
 - c. Remove all sources of ignition from the area.

NOTE: Employees who receive 40 hours of initial training in hazardous waste management prior to commencement of duties at Desoetc US LLC will be considered trained to a sufficient level of awareness per 29 CFR 1910.120(p)(8)(iii). They should have sufficient knowledge to actively respond to hazardous materials and hazardous waste emergencies at the facility.

EMERGENCY RESPONSE PROCEDURES

			1	
Inside Containment Area		Outside Containment Area		
1.	ma	Ipon discovering a release of solid naterial within the containment area, notify the Plant Operator.		Upon discovering a release of solid material outside the containment area, notify the Plant Operator.
2.	Locate the source and stop the release.		2.	Locate the source and stop the release.
3.	Remove nonessential personnel from the vicinity.		3.	Remove nonessential personnel from the vicinity.
4.	<u>Trained employees only</u> (see note below) undertake the following actions if possible without significant risk to yourself or others.		4.	<u>Trained employees only</u> (see note below) undertake the following actions if possible without significant risk to yourself or others.
	a.	Clean up the released material and place in a container. Take the filled container to the spent carbon storage area and label properly.		a. Clean up the released material, and any other material in the release area that may have come into contact with the released material, and place in a container. Take the filled
	b.	After solids are removed, hose down the area of the spill, directing water to the nearest		container to the spent carbon storage area and label properly.
		sump.		b. Clean any tools used during clean-up inside the containment
	C.	Clean any tools used during clean-up and hose the cleaning solution to the sump.		area and hose the cleaning solution to the sump.

NOTE: Employees who receive 40 hours of initial training in hazardous waste management prior to commencement of duties at Desotec US LLC will be considered trained to a sufficient level of awareness per 29 CFR 1910.120(p)(8)(iii). They should have sufficient knowledge to actively respond to hazardous materials and hazardous waste emergencies at the facility.

EMERGENCY RESPONSE PROCEDURES, continued

Release of Liquids

Inside Containment Area

- 1. Upon discovering a release of liquid material within the containment area, notify the Plant Operator.
- 2. Locate the source and stop the release.
- 3. Remove nonessential personnel from the vicinity.
- 4. <u>Trained employees only</u> (see note below) undertake the following actions if possible without significant risk to yourself or others.
 - a. Allow free liquids to flow to the nearest sump. After as much free liquid as possible has drained, place any remaining solid material in a container. Take the filled container to the spent carbon storage area and label properly.
 - b. After solids are removed, hose down the area of the spill, directing water to the nearest sump.
 - c. Clean any tools used during clean-up and hose the cleaning solution to the sump.

NOTE: Employees who receive 40 hours of initial training in hazardous waste management prior to commencement of duties at Desotec US LLC will be considered trained to a sufficient level of awareness per 29 CFR 1910.120(p)(8)(iii). They should have sufficient knowledge to actively respond to hazardous materials and hazardous waste emergencies at the facility.

EMERGENCY RESPONSE PROCEDURES, continued

Release of Liquids, continued


Outside Containment Area


- 1. Upon discovering a release of liquid material outside the containment area, locate the source and stop the release if possible, without risk to yourself or others.
- 2. Notify the Plant Operator who will in turn notify the Emergency Coordinator. If human health or the environment outside the facility boundaries could be threatened, the Emergency Coordinator will immediately notify the **Colorado River Indian Tribes Fire Department** and the **National Response Center**.
- 3. Remove nonessential personnel from the vicinity. Follow evacuation procedures if instructed to do so.
- 4. <u>Trained employees only</u> (see note below) undertake the following actions if possible, without significant risk to yourself or others.
 - a. Initiate shutdown of part or all the facility.
 - b. Contain liquid in as small an area as possible. Use adsorbent, earth and/or containment boom materials to collect any free liquid. Place adsorbent materials in a container.
 - c. Collect and place in a container any materials in the release area that may have come in contact with the released material. Take the filled containers to the spent carbon storage area and label properly.
 - d. Clean any tools used during clean-up inside the containment area and hose the cleaning solution to the sump.

NOTE: Employees who receive 40 hours of initial training in hazardous waste management prior to commencement of duties at Desotec US LLC will be considered trained to a sufficient level of awareness per 29 CFR 1910.120(p)(8)(iii). They should have sufficient knowledge to actively respond to hazardous materials and hazardous waste emergencies at the facility.

APPENDIX C

SITE PLAN






APPENDIX D

LOCATION OF EMERGENCY EQUIPMENT

Location of Emergency Equipment (Ground Floor)



APPENDIX E

EVACUATION ROUTES

Parker Facility Evacuation Routes and Rally Points

