SECTION C

SPENT CARBON CHARACTERISTICS

Siemens Industry, Inc. 2523 Mutahar Street Parker, Arizona 85344

> Revision 1 April 2012

TABLE OF CONTENTS

Sect	<u>ion</u>	<u> </u>	<u>Page</u>
C.1	INTRO	DDUCTION	. C-1
C.2	CHEM	ICAL AND PHYSICAL CHARACTERIZATION	. C-2
	C.2.1	CATEGORIES OF SPENT CARBON GENERATORS	. C-2
	C.2.2	SPENT CARBON HAZARDOUS CONSTITUENTS	. C-2
	C.2.3	HAZARDOUS CONSTITUENT CONCENTRATIONS EXPECTED O	N
	SPENT	T CARBON	. C-3
	C.2.4	EXPECTED SPENT CARBON HAZARDOUS CHARACTERISTICS.	. C-3
	C.2.5	ACCEPTABLE REGULATED WASTES	. C-3
	C.2.6	UNACCEPTABLE REGULATED WASTES	. C-4
C.3	WAST	E ANALYSIS PLAN	. C-5
		LIST OF TABLES	
<u>Tabl</u>	e No.	Follows I	<u>Page</u>
C-1	HAZAR	DOUS WASTES RECEIVED AT THE PARKER FACILITY	. C-5
C-2		NIC LOADING PARAMETER AND ORGANIC CONSTITUENT ES FOR SPENT CARBON	. C-5
C-3	METAL	CONSTITUENT RANGES IN SPENT CARBON	. C-5
		LIST OF CITED APPENDICES	
App	<u>endix</u>		
ı	V	WASTE ANALYSIS PLAN	

C.1 INTRODUCTION

The Siemens Industry, Inc. Carbon Reactivation Facility reactivates spent carbon, which may be classified as a RCRA hazardous waste. This section provides a general description of the chemical and physical characteristics of the spent carbon that is accepted and managed at the facility as a RCRA-hazardous waste. This section also references the facility's most recent Waste Analysis Plan which is provided in Appendix IV. The Waste Analysis Plan describes, in detail, the procedures and analyses conducted to assure proper and safe management of the RCRA-hazardous spent carbon. This information is submitted in accordance with 40 CFR 270.14(b)(2) and 40 CFR 264.13.

C.2 CHEMICAL AND PHYSICAL CHARACTERIZATION

C.2.1 CATEGORIES OF SPENT CARBON GENERATORS

The spent carbon received at the facility has typically been used for treating industrial and municipal wastewater, groundwater, surface water, process materials, or for removing pollutants from vent gases.

Constituents in the streams being treated are transported into the porous activated carbon particles by diffusion, where they are adsorbed onto the extensive inner surfaces of the activated carbon. Adsorption continues until the adsorption equilibrium capacity is reached, at which time the influent and effluent concentrations of the constituents in the stream being treated will be equal. However, the purpose of the treatment is to reduce the concentration of certain constituents in the stream being treated and, therefore, it is necessary to replace the activated carbon in the adsorption vessel at or before the point in time when the effluent concentration approaches the treatment objective, which is usually before the activated carbon's equilibrium capacity is reached. The treatment objective is reached either when the activated carbon has been in service for a specified time or when a pre-determined constituent concentration is detected in the effluent stream. The activated carbon is said to be "spent" when the treatment objective is met. Because the treatment objective is to reduce the concentration of certain constituents in the stream being treated, generally only part of the carbon in the adsorption vessel will have reached its equilibrium capacity.

C.2.2 SPENT CARBON HAZARDOUS CONSTITUENTS

Activated carbon is used to remove dilute concentrations of organic constituents from a liquid or gas stream in order that the liquid or gas is suitable for use or discharge. The number of different regulated constituents adsorbed on the activated carbon from a given source depends on the composition of the stream being treated.

The list of organic constituents that may be adsorbed on spent carbon is very extensive, and includes, but is not limited to, volatile organic compounds, polynuclear aromatic hydrocarbons, phthalates, amines, and pesticides. The generator of the spent carbon and Siemens are required to characterize the spent carbon before it is accepted at the facility. Siemens will determine whether a particular spent carbon is manageable at the facility based on a review of the pre-acceptance characterization and the generator's determination of the EPA hazardous waste code. Criteria for acceptance of a particular spent carbon are discussed in the Waste Analysis Plan which can be found in Appendix IV. The complete list of RCRA-regulated waste codes (from 40 CFR 261.21 through 261.33) acceptable for reactivation at the facility is provided in Table C-1.

Activated carbon is not customarily used to remove metals from a waste stream, although, low concentrations may be expected in the spent carbon.

C.2.3 HAZARDOUS CONSTITUENT CONCENTRATIONS EXPECTED ON SPENT CARBON

The concentration of hazardous constituents adsorbed onto the spent carbon is a function of the constituents' concentrations in the stream being treated. Given the variability of the streams being treated, the composition and concentration of the adsorbed constituents on spent carbon varies greatly. Lists of constituent concentrations (range and mean) found on spent carbons are provided in Table C-2 and in Table C-3. The analytical results presented in Table C-3 are the results of the analysis of spent carbons collected during a program designed to identify the metal concentrations found on the types of spent carbon reactivated at the facility. These lists are offered for informational purposes only and are not intended to define the range of constituents, or constituent concentrations, that may be received at the facility.

Organic constituent adsorption by activated carbon is well documented and adsorption concentrations based on influent concentrations can be calculated based on adsorption equilibrium isotherms. For example, groundwater and potable water treatment sources are expected to have influent organic concentrations typically no greater than 1000 parts per billion (ppb), with effluent concentrations at or below drinking water standards. Wastewater treatment applications are expected to have influent concentrations up to 100 parts per million (ppm), with effluent concentrations at or below discharge standards. Again, these lists are offered for informational purposes only and are not intended to define the range of constituents, or constituent concentrations, that may be received at the facility.

C.2.4 EXPECTED SPENT CARBON HAZARDOUS CHARACTERISTICS

In order for the facility to properly store, manage and treat spent carbon, the hazardous characteristics of the spent carbon need to be identified. The nature and extent of these characteristics guide employee health and safety programs and determine management strategies. Hazardous characteristics of corrosivity, ignitability, reactivity, and toxicity are defined at 40 CFR Part 261. Spent carbon characterized as corrosive (40 CFR 261.22) or reactive (40 CFR 261.23) is not accepted at the facility.

Spent carbon characterized as ignitable (40 CFR 261.21) by the generator may be accepted by the facility. These materials will only be accepted at the facility if the material no longer exhibits the characteristic of ignitability prior to introduction into tank storage. This will be accomplished by mixing the spent carbon with water (per the facility Waste Analysis Plan) which simulates the manner in which the material is transferred to the spent carbon into tank storage prior to reactivation.

C.2.5 ACCEPTABLE REGULATED WASTES

The hazardous waste codes acceptable for reactivation at the facility are listed and defined in Table C-1. The complete list of RCRA-regulated wastes which may be adsorbed onto the activated carbon to be processed at the facility is provided in this table. D-series wastes are characteristic wastes, F-wastes are from non-specific sources, K-series wastes are from specific sources, P-series wastes are acutely hazardous commercial chemical

products, and U-series wastes are toxic commercial chemical products.

C.2.6 UNACCEPTABLE REGULATED WASTES

The only type of waste that the reactivation facility will accept is spent carbon. The facility will not accept spent carbon containing the F listed dioxin wastes (F020-023, F026, F027, or F032), TSCA-regulated levels of PCBs, infectious wastes, regulated levels of radioactive wastes (as regulated by the Nuclear Regulatory Commission) or spent carbon exhibiting the characteristics of corrosivity (40 CFR 261.22) or reactivity (40 CFR 261.23).

C.3 WASTE ANALYSIS PLAN

The Waste Analysis Plan is included in its entirety as Appendix IV.

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
D001	A SOLID WASTE THAT EXHIBITS THE CHARACTERISTIC OF IGNITABILITY	
D004	ARSENIC	
D005	BARIUM	
D006	CADMIUM	
D007	CHROMIUM	
D008	LEAD	
D009	MERCURY	
D010	SELENIUM	
D011	SILVER	
D012	ENDRIN	
D013	LINDANE	
D014	METHOXYCHLOR	
D015	TOXAPHENE	
D016	2,4-D	
D017	2,4,5-(SILVEX)	
D018	BENZENE	
D019	CARBON TETRACHLORIDE	
D020	CHLORDANE	
D021	CHLOROBENZENE	
D022	CHLOROFORM	
D023	O-CRESOL	
D024	M-CRESOL	
D025	P-CRESOL	
D026	CRESOL	
D027	1,4-DICHLOROBENZENE	
D028	1,2-DICHLOROETHANE	
D029	1,1-DICHLOROETHYLENE	
D030	2,4-DITROTOLUENE	
D031	HEPTACHLOR (AND ITS EPOXIDE)	
D032	HEXACHLOROBENZENE	
D033	HEXACHLOROBUTADIENE	
D034	HEXACHLOROETHANE	
D035	METHYL ETHYL KETONE	
D036	NITROBENZENE	
D037	PENTRACHLOROPHENOL	

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
D038	PYRIDINE	
D039	TETRACHLOROETHYLENE	
D040	TRICHLOROETHYLENE	
D041	2,4,5-TRICHLOROPHENOL	
D042	2,4,6-TRICHLOROPHENOL	
D043	VINYL CHLORIDE	
F001	SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1 TRICHLOROETHANE, CARBON TETRACHLORIDE, CHLORINATED FLUOROCARBONS; AND MIXTURES/BLENDS CONTAINING A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) BEFORE USE OF ONE OR MORE OF THE ABOVE SOLVENTS OR SOLVENTS LISTED IN F002, F004 AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF SPENT SOLVENTS AND MIXTURES	
F002	TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLOROETHANE; AND MIXTURES/BLENDS CONTAINING A TOTAL OF 10% OR MORE (BY VOLUME) BEFORE USE OF ONE OR MORE OF THE ABOVE SOLVENTS OR SOLVENTS LISTED IN F002, F004 AND F005 AND STILL BOTTOMS FROM RECOVERY OF SPENT SOLVENTS AND MIXTURES	
F003	XYLENE, ACETONE ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANANE, METHANOL; MIXTURES/BLENDS OF ABOVE; AND 10% OR MORE (BY VOLUME) OF F001, F002, F004, F005; AND STILL BOTTOMS FROM RECOVERY OF SPENT SOLVENTS	
F004	CRESOLS AND CRESYLIC ACID, NOTROBENZENE; SOLVENT MIXTURES/BLENDS OF 10% OR MORE BEFORE USE OF ONE OR MORE OF ABOVE OR F001, F002, F005; STILL BOTTOMS FROM RECOVERY OF SPENT SOLVENTS	
F005	TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, 2-NITROPROPANE; MIXTURES/BLENDS OF 10% OR MORE (BY VOLUME) OF ABOVE OR SOLVENTS LISTED IN F001, F002, F004 AND STILL BOTTOMS FROM RECOVERY OF SOLVENTS	
F006	WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM SULFURIC ACID ANODIZING OF ALUMINUM; TIN PLATING ON CARBON STEEL; ZINC PLATING ON CARBON STEEL; ALUMINUM, ZINC ALUMINUM PLATING ON CARBON STEEL; CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND CHEMICAL ETCHING AND MILLING OF ALUMINUM	
F012	QUENCHING WASTEWATER TREATMENT SLUDGES FROM METAL HEAT TREATING OPERATIONS WHERE CYANIDES ARE USED	
F019	WASTEWATER TREATMENT SLUDGES FROM CHEMICAL CONVERSION COATING OF ALUMINUM EXCEPT ZIRCONIUM PHOSPHATING IN ALUMINUM CAN WASHING	

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
F025	CONDENSED LIGHT ENDS, SPENT FILTERS AND AIDS, SPENT DESICCANT WASTES FROM PRODUCTION OF CERTAIN CHLORINATED ALIPHATIC HYDROCARBONS (HAVING CARBON CHAIN LENGTHS RANGING FROM 1-5 WITH VARYING AMOUNTS AND POSITIONS OF CHLORINE SUBSTITUTION) BY FREE RADICAL CATALYZED PROCESSES.	
F035	WASTEWATERS, PROCESS RESIDUALS, PRESERVATIVE DRIPPAGE, AND SPENT FORMULATIONS FORM WOOD PRESERVING PROCESS GENERATED AT PLANTS THAT USE INORGANIC PRESERVATIVES CONTAINING ARSENIC OR CHROMIUM. DOES NOT INCLUDE K001 BOTTOM SEDIMENT SLUDGE FROM TREATMENT OF WASTEWATER FROM WOOD PRESERVING PROCESSES USING CREOSOTE AND/OR PENTACHLOROPHENOL	
F037	PETROLEUM REFINERY PRIMARY OIL/WATER/SOLIDS SEPARATION SLUDGE. SLUDGE FROM GRAVITATIONAL SEPARATION OF OIL/WATER/SOLIDS DURING STORAGE OR TREATMENT OF PROCESS WASTEWATERS AND OILY COOLING WASTEWATERS FROM PETROLEUM REFINERIES. (OIL/WATER/SOLIDS SEPARATORS; TANKS AND IMPOUNDMENTS; DITCHES/CONVEYANCES; SUMPS; STORMWATER UNITS. SLUDGES FROM NON-CONTACT ONCE-THROUGH COOLING WATERS, SLUDG3ES FROM AGRESSIVE BIOLOGICAL TREATMENT UNITS, K051 WASTES	
F038	PETROLEUM REFINERY SECONDARY (EMULSIFIED) OIL/WATER/SOLIDS SEPARATION SLUDGE-ANY SLUDGE AND/OR FLOAT GENERATED FROM THE PHYSICAL AND/OR CHEMICAL SEPARATION OF OIL/WATER/SOLIDS IN PROCESS WASTEWATERS AND OILY COOLING WASTEWATERS FROM PETROLEUM REFINERIES. SUCH WASTES INCLUDE, BUT ARE NOT LLIMITED TO, ALL SLUDGES AND FLOATS GENERATED IN: INDUCED AIR FLOTATION (IAF) UNITS, TANKS AND IMPOUNDMENTS, AND ALL SLUDGES GENERATED IN DAF UNITS. SLUDGES GENERATED IN STORMWATER UNITS THAT DO NBOT RECEIVE DRY WEATHER FLOW, SLUDGES GENERATED FROM NON-CONTACT ONCE-THROUGH COOLING WATERS SEGREGATED FOR TREATMENT FROM OTHER PROCESS OR OILY COOLING WATERS, SLUDGES AND FLOATS GENERATED IN AGRESSIVE BIOLOGICAL TREATMENT UNITS (INCLUDING SLUDGES AND FLOATS GENERATED IN ONE OR MORE ADDITIONAL UNITS AFTER WASTEWATERS HAVE BEEN TREATED IN AGGRESSIVE GIOLOGICAL TREATMENT UNITS) AND F037,K048, AND K051 WASTES ARE NOT INCLUDED IN THIS LISTING.	
F039	LEACHATE FROM DISPOSAL OF MORE THAN ONE RESTRICTED WASTE (HAZARDOUS UNDER SUBPART D; RESULTING FROM THE DISPOSAL OF ONE OR MORE OF EPA HAZARDOUS WASTES: F020, F021, F022, F026, F027, AND/OR F028)	
K001	WASTEWATER TREATMENT SLUDGE BOTTOM SEDIMENT THAT USE CREOSOTE AND/OR PENTACHLOROPHENOL	
K002	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF CHROME YELLOW AND ORANGE PIGMENTS	
K003	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF MOLYBDATE ORANGE PIGMENTS	
K004	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF ZINC YELLOW PIGMENTS	

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
K005	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF CHROME GREEN PIGMENTS	
K006	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF CHROME OXIDE GREEN PIGMENTS (ANHYDROUS AND HYDRATED)	
K007	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF IRON BLUE PIGMENTS	
K008	OVEN RESIDUE FROM PRODUCTION OF CHROME OXIDE GREEN PIGMENTS	
K009	DISTILLATION BOTTOMS FROM THE PRODUCTION OF ACETALDEHYDE FROM ETHYLENE	
K010	DISTILLATION SIDE CUTS FROM PRODUCTION OF ACETALDEHYDE FROM ETHYLENE	
K014	VICINALS FROM THE PURIFICATION OF TOLUENEDIAMINE IN THE PRODUCTION OF TOLUENEDIAMINE VIA THE HYDROGENATION OF DINITROTOLUENE	
K015	STILL BOTTOMS FROM DISTILLATION OF BENZYL CHLORIDE	
K016	HEAVY ENDS OR DISTILLATION RESIDUES FROM PRODUCTION OF CARBON TETRACHLORIDE	
K017	HEAVY ENDS (STILL BOTTOMS) FROM PURIFICATION COLUMN IN PRODUCTION OF EPICHLOROHYDRIN	
K018	HEAVY ENDS FROM FRACTIONATION COLUMN IN ETHYL CHLORIDE PRODUCTION	
K019	HEAVY ENDS FORM THE DISTILLATION OF ETHYLENE DICHLORIDE IN ETHYLENE DICHLORIDE PRODUCTION	
K020	HEAVY ENDS FROM DISTILLATION OF VINYL CHLORIDE IN VINYL CHLORIDE MONOMER PRODUCTION	
K022	DISTILLATION BOTTOM TARS FROM PRODUCTION OF PHENOL/ACETONE FROM CUMENE	
K023	DISTILLATION LIGHT ENDS FROM PRODUCTION OF PHTHALIC ANHYDRIDE FROM NAPHTHALENE	
K024	DISTILLATION BOTTOMS FROM PRODUCTION OF PHTHALIC ANHYDRIDE FROM NAPHTHALENE	
K025	DISTILLATION BOTTOMS FROM THE PRODUCTION OF NITROBENZENEBY THE NITRATION OF BENZENE	
K026	STRIPPING STILL TAILS FROM PRODUCTION OF METHY ETHYL PYRIDINES	
K029	WASTE FROM PRODUCT STEAM STRIPPER IN PRODUCTION OF 1,1,1- TRICHLOROETHANE	
K030	COLUMN BOTTOMS OR HEAVY ENDS FROM COMBINED PRODUCTION OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE	
K031	BY-PRODUCT SALTS GENERATED IN PRODUCTION OF MSMA AND CACODYLIC ACID	
K032	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF CHLORDANE	
K033	WASTEWATER TREATMENT AND SCRUB WATER FROM CHLORINATION OF CYCLOPENTADIENE IN PRODUCTION OF CHLORDANE	

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
K034	FILTER SOLIDS FROM FILTRATION OF HEXACHLOROCYCLOPENTADIENE IN PRODUCTION OF CHLORDANE	
K035	WASTEWATER TREATMENT SLUDGES GENERATED IN PRODUCTION OF CREOSOTE	
K036	STILL BOTTOMS FROM TOLUENE RECLAMATION DISTILLATION IN PRODUCTION OF DISULFOTON	
K037	WASTEWATER TREATMENT SLUDGES FROM PRODUCTION DISULFOTON	
K038	WASTEWATER FROM WASHING AND STRIPPING OF PHORATE PRODUCTION	
K039	FILTER CAKE FROM FILTRATIN OF DIETHYLPHOSPHORODITHIOIC ACID IN PRODUCTION OF PHORATE	
K040	WASTEWATER TREATMENT SLUDGE FROM PRODUCTION OF PHORATE	
K041	WASTEWATER TREATMENT SLUDGE FORM PRODUCTION OF TOXAPHENE	
K042	HEAVY ENDS OR DISTILLATION RESIDUES FROM DISTILLATION OF TETRACHLOROBENZENE IN PRODUCTION OF 2,4,5-T	
K046	WASTEWATER TREATMENT SLUDGES FROM THE MANUFACTURING, FORMULATION AND LOADING OF LEAD-BASED INTIATING COMPOUNDS.	
K048	DISSOLVED AIR FLOTATION FLOAT FROM PETROLEUM REFINING INDUSTRY	
K049	SLOP OIL EMULSION SOLIDS FROM PETROLEUM REFINING INDUSTRY	
K050	HEAT EXCHANGER BUNDLE CLEANING SLUDGE FROM PETROLEUM REFINING INDUSTRY	
K051	API SEPARATOR SLUDGE FROM PETROLEUM REFINING INDUSTRY	
K052	TANK BOTTOMS (LEADED) FROM PETROLEUM REFINING INDUSTRY	
K061	EMISSION CONTROL DUST/SLUDGE FROM PRIMARY PRODUCTION OF STEEL IN ELECTRIC FURNACES	
K064	ACID PLANT BLOWDOWN SLURRY/SLUDGE RESULTING FROM THE THICKENING OF BLOWDOWN SLURRY FROM PRIMARY COPPER PRODUCTION	
K065	SURFACE IMPOUNDMENT SOLIDS CONTAINED IN AND DREDGED FROM SURFACE IMPOUNDMENTS AT PRIMARY LEAD SMELTING FACILITIES.	
K066	SLUDGE FROM TREATMENT OF PROCESS WASTEWATER AND/OR ACID PLANT BLOWDOWN FROM PRIMARY ZINC PRODUCTION	
K071	BRINE PURIFICATION MUDS FROM MERCURY CELL PROCESS IN CHLORINE PRODUCTION WHERE SEPARATELY PREPURIFIED BRINE IS NOT USED	
K073	CHLORINATED HYDROCARBON WASTE FROM PURIFICAITON STEP OF THE DIAPHRAGM CELL PROCESS USING GRAPHITE ANODES IN CHLORINE PRODUCTION	
K083	DISTILLATION BOTTOMS FROM ANILINE PRODUCTION	
K084	WASTEWATER TREATMENT SLUDGES GENERATED DURING PRODUCTION OF VETERINARY PHARMACEUTICALS FROM ARSENIC OR ORGANO-ARSENIC COMPOUNDS	
K085	DISTILLATION OR FRACTIONATION COLUMN BOTTOMS FROM PRODUCTION OF CHLOROBENZENES	

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
K086	SOLVENT WASHES AND SLUDGES, CAUSTIC WASHES AND SLUDGES, OR WATER WASHES AND SLUDGES FROM CLEANING TUBS AND EQUIPMENT USED IN FORMULATION OF INK FROM PIGMENTS, DRIERS, SOAPS, STABILIZERS CONTAINING CHROMIUM AND LEAD	
K087	DECANTER TANK TAR SLUGE FROM COKING	
K088	SPENT POTLINERS FROM PRIMARY ALUMINUM REDUCTION	
K090	EMISSION CONTROL DUST OR SLUDGE FROM FERROCHROMIUMSILICON PRODUCTION	
K091	EMISSION CONTROL DUST OR SLUDGE FROM FERROCHROMIUM PRODUCTION	
K093	DISTILLAION LIGHT ENDS FROM PRODUCTION OF PHTHALIC ANHYDRIDE FROM ORTHO-XYLENE	
K094	DISTILLATION BOTTOMS FROM PRODUCTION OF PHTHALIC ANHYDRIDE FROM ORTHO-XYLENE	
K095	DISTILLAION BOTTOMS FROM PRODUCTION OF 1,1,1-TRICHLOROETHANE	
K096	HEAVY ENDS FROM HEAVY ENDS COLUMN FROM PRODUCTION OF 1,1,1-TRICHLOROETHANE	
K097	VACUUM STRIPPER DISCHARGE FROM CHLORDANE CHLORINATOR IN PRODUCTION OF CHLORDANE	
K098	UNTREATED PROCESS WASTEWATER FROM PRODUCTION OF TOXAPHENE	
K100	WASTE LEACHING SOLUTION FROM ACID LEACHING OF EMISSION CONTROL DUST/SLUDGE FROM SECONDARY LEAD SMELTING	
K101	DISTILLATION TAR RESIDUES FROM DISTILLATIONOF ANILINE-BASED COMPOUNDS IN PRODUCTION OF VETERINARY PHARMACEUTICALS FROM ARSENIC OR ORGANO-ARSENIC COMPOUNDS	
K102	RESIDUE FROM USE OF ACTIVATED CARBON FOR DECOLORIZATION IN PRODUCTION OF VETERINARY PHARMACEUTICALS FRO ARSENIC OR ORGANO-ARSENIC COMPOUNDS	
K103	PROCESS RESIDUES FROM ANILINE EXTRACTION FROM PRODUCTIONOF ANILINE	
K104	COMBINED WASTEWATER STREAMS GENERATED FROM NITROBENZENE/ANILINE PRODUCTION	
K105	SEPARATED AQUEOUS STREAM FROM THE REACTOR PRODUCT WASHING STEP IN PRODUCTION OF CHLOROBENZENES	
K106	WASTEWATER TREATMENT SLUDGE FROM MERCURY CELL PROCESS IN CHLORINE PRODUCTION	
K112	REACTION BY-PRODUCT WATER FROM THE DRYING COLUMN IN PRODUCTION OF TOLUENEDIAMINE VIA HYDROGENATION OF DINITROTOLUENE	
K113	CONDENSED LIQUID LIGHT ENDS FROM THE PURIFICATIONOF TOLUENEDIAMINE IN PRODUCTION OF TOLUENEDIAMINE VIA HYDROGENATION OF DINITROTOLUENE	
K114	VICINALS FROM PURIFICAITON OF TOLUENEDIAMINE IN PRODUCTION OF TOLUENEDIAMINE VIA HYDROGENATION OF DINITROTOLUENE	

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY	
EPA WASTE CODE	WASTE DESCRIPTION
K115	HEAVY ENDS FROM THE PURIFICATION OF TOLUENEDIAMINE IN PRODUCTION OF TOLUENEDIAMINE VIA HYDROGENATION OF DINITROTOLUENE
K116	ORGANIC CONDENSATE FROM SOLVENT RECOVERY COLUMN IN PRODUCTION OF TOLUENE DIISOCYANATE VIA PHOSGENATION OF TOLUENEDIAMINE
K117	WASTEWATER FROM THE REACTOR VENT GAS SCRUBBER IN PRODUCTION OF ETHYLENE DIBROMIDE VIA BROMINATION OF ETHENE
K118	SPENT ADSORBENT SOLIDS FROM PURIFICATION OF ETHYLENE DIBROMIDE IN PRODUCTION OF ETHYLENE DIBROMIDE VIA BROMINATION OF ETHENE
K125	FILTRATION, EVAPORATION, AND CENTRIFUGATION SOLIDS FROM THE PRODUCTION OF ETHYLENEBISDITHIOCARBAMIC ACID AND ITS SALTS.
K126	BAGHOUSE DUST AND FLOOR SWEEPINGS IN MILLING AND PACKAGING OPERATIONS FROM PRODUCTION OR FORMULATION OF ETHYLENE BIS DITHIOCARBAMIC ACID AND ITS SALTS
P001	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRAIONS GREATER THAN 0.3%
P002	ACETAMINE, N-(AMINOTHIOXOMETHYL); Also known as 1-ACETYL-2-THIOUREA
P003	ACROLEIN; Also known as 2-PROPENAL
P004	ALDRIN; Also known as 1,4,5,8-DIMETHANONAPHTHALENE, 1,2,3,4,10,10-HEXA-CHLORO-1,4,4A,5,8,8A,-HEXAHYDRO, (ALPHA, 4ALPHA, 4 ABETA, 5 ALPHA, 8ALPHA, 8ABETA)-
P005	ALLYL ALCOHOL; Also known as 2-PROPEN-1-OL
P007	5-(AMINOMETHYL)-3-ISOXAZOLOL; Also known as 3(2H)-ISOXAZOLONE, 5-(AMINOMETHYL)-
P008	4-AMINOPYRIDINE; Also known as 4-PYRIDINAMINE
P010	ARSENIC ACID H₃ASO₄
P011	ARSENIC OXIDE AS ₂ O ₅ ; Also known as ARSENIC PENTOXIDE
P012	ARSENIC OXIDE AS ₂ O ₃ ; Also known as ARSENIC TRIOXIDE
P013	BARIUM CYANIDE
P014	BENZENETHIOL; Also known as THIOPHENOL
P015	BERYLLIUM
P016	DICHLOROMETHYL ETHER; Also known as METHANE, OXYBIS[CHLORO-
P017	BROMOACETONE; Also known as 2-PROPANONE, 1-BROMO-
P018	BRUCINE
P020	DIOSEB; Also known as PHENOL, 2-(1-METHYLPROPYL)-4,6-DINITRO-
P021	CALCIUM CYANIDE; Also known as CALCIUM CYANIDE CA(CN) ₂
P022	CARBON DISULFIDE
P023	ACETALDEHYDE, CHLORO-; Also known as CHLOROACETALDEHYDE

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
P024	BENZENAMINE, 4-CHLORO-; Also known as P-CHLORANILINE	
P026	1-(O-CHLOROPHENYL)THIOUREA; Also known as THIOUREA, (2-CHLOROPHENYL)-	
P027	PROPANENITRILE, 3-CHLORO-; Also known as 3-CHLOROPROPIONITRILE	
P028	BENZENE, (CHLOROMETHYL)-; Also known as BENZYL CHLORIDE	
P029	COPPER CYANIDE; Also known as COPPER CYANIDE CU(CN)	
P030	CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED	
P031	CYANOGEN; Also known as ETHANEDINITRILE	
P033	CYANOGEN CHLORIDE; Also known as CYANOGEN CHLORIDE (CN)CL	
P034	2-CYCLOHEXYL-4,6-DINITROPHENOL; Also known as PHENOL, 2-CYCLOHEXYL-4,6-DINITRO-	
P036	ARSONOUS DICHLORIDE, PHENYL-; Also known as DICHLOROPHENYLARSINE	
P037	DIELDRIN; Also known as 2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETS, 2AALPHA, 3BETAK, 6BETA, 6AALPHA, 7BETA, 7AALPHA)-	
P038	ARSINE, DIETHYL-; Also known as DIETHYLARSINE	
P039	PHOSPHORODITHIOIC ACID, O,O-DIETHYL S-[2-(ETHYLTHIO)ETHYL]ESTER; Also known as DISULFOTON	
P040	O,O-DIETHYL O-PYRAZINYL PHOSPHOROTHIOATE; Also known as PHOSPHOROTHIOIC ACID, O, O-DIMETHYL O-(4 NITROPHENYL) ESTER	
P041	PHOSPHORIC ACID, DIETHYL 4-NITROPHENYL ESTER; Also known as DIETHYL-P-NITROPHENYL PHOSPHATE	
P042	1,2-BENZENEDIOL, 4-[HYDROXY-2-(METHYLAMINO)ETHYL]-,(R)-; Also known as EPINEPHRINE	
P043	DIISOPROPYLFLUOROPHOSPHATE (DFP); Also known as PHOSPHOROFLUORIDIC ACID, BIS (1-METHYLETHYL)ESTER	
P044	DIMETHOATE; Also known as PHOSPHORODITHIOIC ACID,O, O-DIMETHYL S-[2-(METHYLAMINO)-2-OXOETHYL]ESTER	
P045	2-BUTANONE, 3, 3-DIMETHYL-1-(METHYITHIO)-,O- [METHYLOAMINO)CARBONYL]OXIME; Also known as THIOFANOX	
P046	BENZENEETHANAMINE, ALPHA,ALPHA-DIMETHYL-; Also known as ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	
P047	4,6-DINITRO-O-CRESOL, & SALTS; Also known as PHENOL,2-METHYL-4,6-DINITRO-, & SALTS	
P048	2,4-DINITROPHENOL; Also known as PHENOL, 2,4-DINITRO-	
P049	DITHIOBIURET; Also known as THIOIMIDODICARBONIC DIAMIDE [H ₂ N)C(S)] ₂ NH	
P050	ENDOSULFAN; Also known as 6M9-METHANO-2,4,3-BENZODIOXATHIEPIN, 6,7,8,9,10,1K0-HEXACHLORO-1,5,5A,6,9,91-HEXAHYDRO-,3-OXIDE	

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
P051	2,7:3,6-DIMETHANONAPHTH [2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2ABETA, 3ALPHA, 6ALPHA, 6ABETA, 7BETA, 7AALPHA)-, & METABOLITES; Also known as ENDRIN; Also known as ENDRIN, & METABOLITES	
P054	AZIRIDINE; Also known as ETHYLENEIMINE	
P056	FLUORINE	
P057	ACETAMIDE, 2-FLUORO-; Also known as FLUOROACETAMIDE	
P058	ACETIC ACID, FLUORO-,SODIUM SALT; Also known as FLUOROACETIC ACIDE, SODIUM SALT	
P059	HEPTACHLOR; Also known as 4,7-METHANO-1H-INDENE, 1,4,5,6,7,8,-HEPTACHLORO-3A,4,7,7A-TETRAHYDRO-	
P060	1,4,5,8-DIMETHANONAPHTHALENE,1,2,3,4,10,10-HEXA- CHLORO-1,4,4A,5,7,8,8A-HEXAHYDRO-(1ALPHA, 4ALPHA, 4ABETA, 5BETA,8BETA,8ABETA)-; Also known as ISODRIN	
P062	HEXAETHYL TETRAPHOSPHATE; Also known as TETRAPHOSPHORIC ACID, HEXAETHYL ESTER	
P063	HYDROCYANIC ACID; Also known as HYDROGEN CYANIDE	
P064	METHANE, ISOCYANATO-	
P066	ETHANIMIDOTHIOIC ACID, N-[[(METHYLAMINO)CARBONYL]OXY]-, METHYL ESTER; Also known as METHOMYL	
P067	AZINIDINE, 2-METHYL; Also known as 1,2-PROPYLENIMINE	
P068	HYDRAZINE, METHYL-; Also known as METHYL HYDRAZINE	
P069	2-METHYLLACTONITRILE; Also known as PROPANENITRILE, 2-HYDROXY-2-METHYL-	
P070	ALDICARB; Also known as PROPANAL, 2-METHYL-2-(METHYLTHIO)-, O-[(METHYLAMINO)CARBONYL]OXIME	
P071	METHYL PARATHION; Also known as PHOSPHOROTHIOIC ACID, O, O,-DIMETHYL O-(4-NITROPHENYL)ESTER	
P072	ALPHA-NAPHTHYLTHIOUREA; Also known as THIOUREA, 1-NAPHTHALENYL-	
P073	NICKEL CARBONYL; Also known as NICKEL CARBONYL NI(CO) ₄ , (T-4)-	
P074	NICKEL CYANIDE; Also known as NICKEL CYNAIDE NI(CN) ₂	
P075	NICOTINE, & SALTS; Also known as PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-, (S)-, & SALTS	
P077	BENZENAMINE, 4-NITRO-; Also known as P-NITROANILINE	
P078	NITROGEN DIOXIDE; Also known as NITROGEN OXIDE NO ₂	
P082	METHANAMINE, N-METHYL-N-NITROSO-; Also known as N-NITROSODIMETHYLAMINE	
P084	N-NITROSOMETHYLVINYLAMINE; Also known as VINYLAMINE, N-METHYL-N-NITROSO-	
P085	DIPHOSPHORAMIDE, OCTAMETHYL-; Also known as OCTAMETHYLPYROPHOSPHORAMIDE	
P087	OSMIUM OXIDE OSO ₄ , (T-4)-; Also known as OSMIUM TETROXIDE	

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY	
EPA WASTE CODE	WASTE DESCRIPTION
P088	ENDOTHALL; Also known as 7-OXABICYCLO[2.2.1]HEPTANE-2,3-DICARBOXYLIC ACID
P089	PARATHION; Also known as PHOSPHORIC ACID, O,O-DIETHYL O-(4-NITROPHENYL)ESTER
P092	MERCURY, (ACETATO-O)PHENYL-; Also known as PHENYLMERCURY ACETATE
P093	PHENYLTHIOUREA; Also known as THIOUREA, PHENYL-
P094	PHORATE; Also known as PHOSPHORODITHIOIC ACID, O,O-DIETHYL; Also known as S-[ETHYLTHIO)METHYL] ESTER
P095	CARBONIC DICHLORIDE; Also known as PHOSGENE
P096	HYDROGEN PHOSPHIDE; Also known as PHOSPHINE
P097	FAMPHUR; Also known as PHOSPHOTHIOIC ACID, O-[4-[(DIMETHYLAMINO)SULFONYL]PHENYL] O,O-DIMETHYL ESTER
P098	POTASSIUM CYANIDE
P099	ARGENTATE(1-), BIS(CYANO-C)-, POTASSIUM; Also known as POTASSIUM SILVER CYANIDE
P101	ETHYL CYANIDE; Also known as PROPANENITRILE
P102	PROPARGYL ALCOHOL; Also known as 1-PROPYN-1-OL
P103	SELENOUREA
P104	SILVER CYANIDE
P105	SODIUM AZIDE
P108	STRYCHNIDIN-10-ONE, & SALTS; Also known as STRYCHNINE, & SALTS
P109	TETRAETHYLDITHIOPYROPHOSPHATE; Also known as THIODIPHOSPHIRIC ACID, TETRAETHYL ESTER
P110	TETRAETHYL LEAD
P113	THALLIUM OXIDE TL ₂ O ₃
P114	THALLIUM(L) SELENITE
P115	THALLIUM(L) SULFATE
P116	THIOSEMICARBAZIDE
P118	TRICHLOROMETHANETHIOL
P119	VANADIC ACID, AMMONIUM SALT
P120	VANADIUM PENTOXIDE
P121	ZINC CYANIDE
P123	TOXAPHENE
U001	ACETALDEHYDE (I); Also known as ETHANAL (I)
U002	ACETONE (I); Also known as 2-PROPANONE (I)
U003	ACETONITRILE (I,T)
U004	ACETONITRILE (I,T)

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY		
EPA WASTE CODE	WASTE DESCRIPTION	
U005	2, ACETYLAMINOFLUORENE; Also known as ACETAMIDE, N-9H-FLUOREN-2-YL-	
U007	ACRYLAMIDE; Also known as 2-PROPENAMIDE	
U008	ACRYLIC ACID (I); Also known as 2-PROPENOIC ACID (I)	
U009	ACRYLONITRILE; Also known as 2-PROPENENITRILE	
U010	AZIRINO[2',3':3,4]PYRROLO[1,2-a]INDOLE-4,7-DIONE,6-AMINO-8- [[(AMINOCARBONYL)OXY]METHYL]-1,1a,2,8,8a,8b-HEXAHYDRO-8a-METHOXY-5- METHYL-, [1aS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]-; Also known as MITOMYCIN C	
U011	AMITROLE; Also known as 1H-1,2,-TRIAZOL-3-AMINE	
U012	ANILINE (I,T); Also known as BENZENAMINE (I,T)	
U014	AURAMINE; Also known as BENZENAMINE, 4,4'-CARBONIMIDOYLBIS[N,N-DIMETHYL-	
U015	AZASERINE; Also known as L-SERINE, DIAZOACETATE (ESTER)	
U016	BENZ[C]ACRIDINE	
U017	BENZAL CHLORIDE; Also known as BENZENE,(DICHLOROMETHYL)-	
U018	BENZ[A]ANTHRACENE	
U019	BENZENE (I,T)	
U022	BENZO[A]PYRENE	
U024	DICHLOROMETHOXY ETHANE; Also known as ETHANE, 1,1'-[METHYLENEBIS(OXY)]BIS[2-CHLORO-	
U025	DICHLOROETHYL ETHER; Also known as ETHANE,1,1'-OXYBIS[2-CHLORO-	
U026	CHLORNAPHAZIN; Also known as NAPHTHALENAMINE, N,N'-BIS(2-CHLOROETHYL)-	
U027	DICHLOROISOPROPYL ETHER; Also known as PROPANE, 2,2'-OXYBIS[2-CHLORO-	
U028	1,2-BENZENEDICARBOXYLIC ACID, BIS(2-ETHYLHEXYL) ESTER; Also known as DIETHYLHEXYL PHTHALATE	
U029	METHANE, BROMO-; Also known as METHYL BROMIDE	
U030	BENZENE, 1-BROMO-4-PHENOXY-; Also known as 4-BROMOPHENYL PHENYL ETHER	
U031	1-BUTANOL (I); Also known as N-BUTYL ALCOHOL (I)	
U032	CHROMIC ACID H ₂ CRO ₄ , CALCIUM SALT; Also known as CALCIUM CHROMATE	
U034	CHLORAL; Also known as ACETALDEHYDE, TRICHLORO-	
U035	CHLORAMBUCIL; Also known as BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]-	
U036	CHLORDANE, ALPHA & GAMMA ISOMERS; Also known as 4,7-METHANO-1H-INDENE, 1,2,4,5,6,7,8,8-OCTACHLORO-2,3,3A,4,7,7A-HEXAHYDRO-	
U037	CHLOROBENZENE; Also known as BENZENE, CHLORO-	
U038	CHLOROBENZILATE; Also known as BENZENEACETIC ACID, 4-CHLORO-ALPHA- (4-CHLOROPHENYL)-ALPHA-HYDROXY-, ETHYL ESTER	
U039	P-CHLORO-M-CRESOL; Also known as PHENOL, 4-CHLORO-3-METHYL-	
U041	EPICHLOROHYDRIN; Also known as OXIRANE, (CHLOROMETHYL)-	

	TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY				
EPA WASTE CODE	WASTE DESCRIPTION				
U042	2-CHLOROETHYL VINYL ETHER; Also known as ETHENE, (2-CHLOROETHOXY)-				
U043	VINYL CHLORIDE; Also known as ETHENE, CHLORO-				
U044	CHLOROFORM; Also known as METHANE, TRICHLORO-				
U045	METHANE, CHLORO- (I,T); Also known as METHYL CHLORIDE (I,T)				
U046	CHLOROMETHYL METHYL ETHER; Also known as METHANE, CHLOROMETHOXY-				
U047	BETA-CHLORONAPHTHALENE; Also known as NAPHTHALENE, 2-CHLORO-				
U048	O-CHLOROPHENOL; Also known as PHENOL, 2-CHLORO-				
U049	4-CHLORO-O-TOLUIDINE, HYDROCHLORIDE; Also known as BENZENAMINE, 4-CHLORO-2-METHYL, HYDROCHLORIDE				
U050	CHRYSENE				
U051	CREOSOTE				
U052	CRESOL (CRESYLIC ACID); Also known as PHENOL, METHYL-				
U053	CROTONALDEHYDE; Also known as 2-BUTENAL				
U055	CUMENE (I); Also known as BENZENE, (1-METHYLETHYL)- (I)				
U056	BENZENE, HEXAHYDRO- (I); Also known as CYCLOHEXANE (I)				
U057	CYCLOHEXANONE (I)				
U058	CYCLOPHOSPHAMIDE; Also known as 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS (2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE				
U059	DAUNOMYCIN; Also known as 5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHS-L-LYXO-HEXOPYRANOSY)OXY]-7,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)-				
U060	DDD; Also known as BENZENE, 1,1'-(2,2-DICHLOROETHYLIDENE)BIS[4-CHLORO-				
U061	DDT; Also known as BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENT)BIS[4-CHLORO-				
U062	DIALLATE; Also known as CARBAMOTHIOIC ACID, BIS(1-METHYLETHYL)-, S-(2,3-DICHLORO-2-PROPENYL) ESTER				
U063	DIBENZ[A,H]ANTHRACENE				
U064	DIBENZO[A,I]PYRENE; Also known as BENZO[RST]PENTAPHENE				
U066	1,2-DIBROMO-3-CHLOROPROPANE; Also known as PROPANE, 1,2-DIBROMO-3-CHLORO-				
U067	ETHANE, 1,2-DIBROMO-; Also known as ETHYLENE DIBROMIDE				
U068	METHANE, DIBROMO-; Also known as METHYLENE BROMIDE				
U069	DIBUTYL PHTHALATE; Also known as 1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER				
U070	o-DICHLOROBENZENE; Also known as BENZENE, 1,2-DICHLORO-				
U071	m-DICHLOROBENZENE; Also known as BENZENE, 1,3-DICHLORO-				
U072	p-DICHLOROBENZENE; Also known as BENZENE, 1,4-DICHLORO-				

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY					
EPA WASTE CODE	WASTE DESCRIPTION				
U073	3,3'-DICHLOROBENZIDINE; Also known as [1,1'-BIPHENYL]-4,4'-DIAMINE, 3,3'DICHLORO-				
U074	1,4-DICHLORO-2-BUTENE (I,T); Also known as 2-BUTENE, 1,4-DICHLORO- (I,T)				
U075	DICHLORODIFLUOROMETHANE; Also known as METHANE, DICHLORODIFLUORO-				
U076	ETHANE, 1,1-DICHLORO-; Also known as ETHYLIDENE DICHLORIDE				
U077	ETHANE, 1,2-DICHLORO-; Also known as ETHYLENE DIBROMIDE				
U078	1,1-DICHLOROETHYLENE; Also known as ETHENE, 1,1-DICHLORO-				
U079	1,2-DICHLOROETHYLENE; Also known as ETHENE, 1,2-DICHLORO-, (E)				
U080	METHANE, DICHLORO-; Also known as METHYLENE CHLORIDE				
U081	2,4-DICHLOROPHENOL; Also known as PHENOL, 2,4-DICHLORO-				
U082	2,6-DICHLOROPHENOL; Also known as PHENOL,2,6-DICHLORO-				
U083	PROPANE, 1,2-DICHLORO-; Also known as PROPYLENE DICHLORIDE				
U084	1,3-DICHLOROPROPENE; Also known as 1-PROPENE, 1,3-DICHLORO-				
U085	1,2:3,4DIEPOXYBUTANE (I,T); Also known as 2,2'-BIOXIRANE				
U086	N,N'-DIETHYLHYDRAZINE; Also known as HYDRAZINE, 1,2,-DIETHYL-				
U087	O,O-DIETHYL S-METHYL DITHIOPHOSPHATE; Also known as PHOSPHORODITHIOIC ACID, 0,0-DIETHYL S-METHYL ESTER				
U088	DIETHYL PHTHALATE; Also known 1,2-BENZENEDICARBOXYLIC ACID, DIETHYL ESTER				
U089	DIETHYLSTILBESTEROL; Also known as PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS-, (E)				
U090	DIHYDROSAFROLE; Also known as 1,3-BENZODIOXOLE, 5-PROPYL-				
U091	3,3'-DIMETHOXYBENZIDINE; Also known as [1,1'-BIPHENYL]-4,4'-DIAMINE, 3,3'DIMETHOXY-				
U092	DIMETHYLAMINE (I); Also known as METHANAMINE, N-METHYL- (I)				
U093	BENZENAMINE, N,N-DIMETHYL-4-(PHENYLAZO)-; Also known as P-DIMETHYLAMINOAZOBENZENE				
U094	BENZ[A]ANTHRACENE, 7,12-DIMETHYL-; Also known as 7,12-DIMETHYLBENZ[A]ANTHRACENE				
U095	3,3'-DIMETHYLBENZIDINE; Also known as [1,1'-BIPHENYL]-4,4'-DIAMINE, 3,3'DIMETHYL-				
U097	DIMETHYLCARBAMOYL CHLORIDE; Also known as CARBAMIC CHLORIDE, DIMETHYL-				
U098	1,1-DIMETHYLHYDRAZINE; Also known as HYDRAZINE, 1,1-DIMETHYL-				
U099	1,2-DIMETHYLHYDRAZINE; Also known as HYDRAZINE, 1,2,-DIMETHYL-				
U101	2,4-DIMETHYLPHENOL; Also known as PHENOL, 2,4-DIMETHYL-				
U102	DIMETHYL PHTHALATE; Also known as 1,2-BENZENEDICARBOXYLIC ACID, DIMETHYL ESTER				
U103	DIMETHYL SULFATE; Also known as SULFURIC ACID, DIMETHYL ESTER				

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY					
EPA WASTE CODE	WASTE DESCRIPTION				
U105	2,4-DINITROTOLUENE; Also known as BENZENE, 1-METHYL-2,4-DINITRO-				
U106	2,6-DINITROTOLUENE; Also known as BENZENE, 2-METHYL-1,3-DINITRO-				
U107	DI-N-OCTYL PHTHALATE; Also known as 1,2-BENZENEDICARBOXYLIC ACID, DIOCTYL ESTER				
U108	1,4-DIETHYLENEOXIDE; Also known as 1,4-DIOXANE				
U109	1,2-DIPHENYLHYDRAZINE; Also known as HYDRAZINE, 1,2-DIPHENYL-				
U110	DIPROPYLAMINE (I); Also known as 1-PROPANAMINE, N-PROPYL- (I)				
U111	DI-N-PROPYLNITROSAMINE; Also known as 1-PROPANAMINE, N-NITROSO-N-PROPYL-				
U112	ACETIC ACID ETHYL ESTER (I); Also known as ETHYL ACETATE (I)				
U113	ETHYL ACRYLATE (I); Also known as 2-PROPENOIC ACID, ETHYL ESTER (I)				
U114	ETHYLENEBISDITHIOCARBAMIC ACID, SALTS & ESTERS; Also known as CARBAMODITHIOIC ACID, 1,2- ETHANEDIYLBIS-, SALTS & ESTERS				
U115	ETHYLENE OXIDE (I,T); Also known as OXIRANE (I,T)				
U116	ETHYLENETHIOUREA; Also known as 2-IMIDAZOLIDINETHIONE				
U117	ETHANE, 1,1'-OXYBIS-(I); Also known as ETHYL ETHER (I)				
U118	ETHYL METHACRYLATE; Also known as 2-PROPENOIC ACID, 2-METHYL-, ETHYL ESTER				
U119	ETHYL METHANESULFONATE; Also known as METHANESULFONIC ACID, ETHYL ESTER				
U120	FLUORANTHENE				
U121	TRICHLOROMONOFLUOROMETHANE; Also known as METHANE, TRICHLOROFLUORO-				
U122	FORMALDEHYDE				
U124	FURAN (I); Also known as FURFURAN (I)				
U125	2-FURANCARBOXALDEHYDE (I); Also known as FURFURAL (I)				
U126	GLYCIDYLALDEHYDE; Also known as OXIRANECARBOXYALDEHYDE				
U127	HEXACHLOROBENZENE; Also known as BENZENE, HEXACHLORO-				
U128	HEXACHLOROBUTADIENE; Also known as 1,3-BUTADIENE, 1,1,2,3,4,4-HEXACHLORO-				
U129	LINDANE; Also known as CYCLOHEXANE, 1,2,3,4,5,6- HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)-				
U130	HEXACHLOROCYCLOPENTADIENE; Also known 1,3-CYCLOPENTADIENE, 1,2,3,4,5,5-HEXACHLORO-				
U131	HEXACHLOROETHANE; Also known as ETHANE, HEXACHLORO-				
U132	HEXACHLOROPHENE; Also known as PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-				
U135	HYDROGEN SULFIDE; Also known HYDROGEN SULFIDE H₂S				
U136	ARSINIC ACID, DIMETHYL-; Also known as CACODYLIC ACID				
U137	INDENO[1,2,3-CD]PYRENE				

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY					
EPA WASTE CODE	WASTE DESCRIPTION				
U138	METHANE, IODO-; Also known as METHYL IODIDE				
U140	ISOBUTYL ALCOHOL, (I,T); Also known as 1-PROPANOL, 2-METHYL-, (I,T)				
U141	ISOSAFROLE; Also known as 1,3-BENZODIOXOLE, 5-(1-PROPENYL)-				
U142	KEPONE; Also known as 1,3,4-METHENO-2H-CYCLOBUTA[CD]PENTALEN-2-ONE, 1,1A,3,3A,4,5,5A,5B,6- DECACHLOROOCTAHYDRO-				
U143	LASIOCARPINE; Also known as 2-BUTENOIC ACID, 2-METHYL-, 7-[2,3-DIHYDROXY-2-(1-METHOXYETHYL)-3-METHYL-1- OXOBUTOXY]METHYL]-2,3,5,6A-TETRAHYDRO-1H-PYRROLIZIN-1-YL ESTER,[1S-1ALPHA(Z),7(2S*,3R*),7AALPHA]]-				
U144	ACETIC ACID, LEAD(2+) SALT; Also known as LEAD ACETATE				
U145	LEAD PHOSPHATE; PHOSPHORIC ACID, LEAD(2+) SALT (2:3)				
U146	LEAD, BIS(ACETATO-O) TETRAHYDROXYTRI-; Also known as LEAD SUBACETATE				
U147	MALEIC ANHYDRIDE; Also known as 2,5-FURANDIONE				
U148	MALEIC HYDRAZIDE; Also known as 3,6-PYRIDAZINEDIONE, 1,2-DIHYDRO-				
U149	MALONONITRILE; Also known as PROPANEDINITRILE				
U150	MELPHALAN; Also known as L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]-				
U151	MERCYR				
U152	METHACRYLONITRILE (I,T); Also known as 2-PROPENENITRILW, 2-METHYL- (I,T)				
U153	METHANETHIOL (I,T); Also known as THIOMETHANOL (I,T)				
U154	METHANOL (I); Also known as METHYL ALCOHOL (I)				
U155	METHAPYRILENE; Also known 1,2-ETHANEDIAMINE, N,N- DIMETHYL-N'-W-PYRIDINYL-N'-(2- THIENYLMETHYL)-				
U156	METHYL CHLOROCARBONATE (I,T); Also known CARBONOCHLORIDIC ACID, METHYL ESTER (I,T)				
U157	BENZ[I]ACEANTHRYLENE, 1,2-DIHYDRO-3-METHYL-; Also known as 3-METHYLCHOLANTHRENE				
U158	BENZENAMINE, 4,4'METHYLENEBIS[2-CHLORO-; Also known as 4,4'-METHYLENEBIS(2-CHLOROANILINE)				
U159	METHYL ETHYL KETONE (MEK) (I,T); Also known as 2-BUTANONE (I,T)				
U161	METHYL ISOBUTYL KETONE (I); Also known as 4-METHYL-2-PENTANONE (I) and PENTANOL, 4-METHYL-				
U162	METHYL METHACRYLATE (I,T); Also known as 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER (I,T)				
U163	MNNG; Also known as GUANIDINE, N-METHYL-N'-NITRO-N- NITROSO-				
U164	METHYLTHIOURACIL; Also known as 4(1H)-PYRIMIDINONE, 2,3-DIHYDRO-6-METHYL-2-THIOXO-				
U165	NAPHTHALENE				
U166	1,4-NAPHTHALENEDIONE; Also known as 1,4-NAPHTHOQUINONE				

	TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY				
EPA WASTE CODE	WASTE DESCRIPTION				
U167	1-NAPHTHALENAMINE; Also known as ALPHA-NAPHTHYLAMINE				
U168	2-NAPHTHALENAMINE; Also known as BETA-NAPHTHYLAMINE				
U169	NITROBENZENE (I,T); Also known as BENZENE, NITRO-				
U170	P-NITROPHENOL; Also known as PHENOL, 4-NITRO				
U171	2-NITROPROPANE (I,T); Also known as PROPANE, 2-NITRO (I,T)				
U172	N-NITROSODI-N-BUTYLAMINE; Also known as 1-BUTANAMINE, N-BUTYL-N-NITROSO-				
U173	N-NITROSODIETHANOLAMINE; Also known as ETHANOL, 2,2'-(NITROSOIMINO)BIS-				
U174	N-NITROSODIETHYLAMINE; Also known as ETHANAMINE, N-ETHYL-N-NITROSO-				
U176	N-NITROSO-N-ETHYLUREA; Also known as UREA, N-ETHYL-N-NITROSO-				
U177	N-NITROSO-N-METHYLUREA; Also known as UREA, N-METHYL-N-NITROSO-				
U178	N-NITROSO-N-METHYLURETHANE; Also known as CARBAMIC ACID, METHYLNITROSO-,ETHYL ESTER				
U179	N-NITROSOPIPERIDINE; Also known as PIPERIDINE, 1-NITROSO-				
U180	N-NITROSOPYRROLIDINE; Also known as PYRROLIDINE, 1-NITROSO-				
U181	BENZENAMINE, 2-METHYL-5-NITRO-; Also known as 5-NITRO-O-TOLUIDINE				
U182	PARALDEHYDE; Also known as 1,3,5-TRIOXANE, 2,4,6- TRIMETHYL-				
U183	PENTACHLOROBENZENE; Also known as BENZENE, PENTACHLORO-				
U184	PENTACHLOROETHANE; Also known as ETHANE, PENTACHLORO-				
U185	PENTACHLORONITROBENZENE (PCNB); Also known as BENZENE, PENTACHLORONITRO-				
U186	1,3-PENTADIENE (I); Also known as 1-METHYLBUTADIENE (I)				
U187	ACETAMIDE, N-(4-ETHOXYPHENYL)-; Also known as PHENACETIN				
U188	PHENOL				
U190	PHTHALIC ANHYDRIDE; Also known as 1,3-ISOBENZOFURANDIONE				
U191	2-PICOLINE; Also known as PYRIDINE, 2-METHYL-				
U192	BENZAMIDE,3,5-DICHLORO-N-(1,1-DIMETHYL-2-PROPYNYL)-; Also known as PRONAMIDE				
U193	1,3-PROPANE SULTONE; Also known as 1,2-OXATHIOLANE, 2,2-DIOXIDE				
U194	1-PROPANAMINE (I,T); Also known as N-PROPYLAMINE (I,T)				
U196	PYRIDINE				
U197	P-BENZOQUINONE; Also known as 2,5-CYCLOHEXADIENE-1,4-DIONE				
U200	RESERPINE; Also known as YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-				
U201	RESORCINOL; Also known as 1,3-BENZENEDIOL				
U202	SACCHARIN, & SALTS; Also known as 1,2-BENZISOTHIAZOL-3(2H)-ONE, 1,1-DIOXIDE, & SALTS				

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY					
EPA WASTE CODE	WASTE DESCRIPTION				
U203	SAFROLE; Also known as 1,3-BENZODIOXOLE, 5-(2- PROPENYL)-				
U204	SELENIOUS ACID; Also known as SELENIUM DIOXIDE				
U206	STREPTOZOTOCIN; Also known as GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-, D-D-GLUCOSE, 2-DEOXY-2-[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]-				
U207	1,2,4,5-TETRACHLOROBENZENE; Also known as BENZENE, 1,2,4,5-TETRACHLORO-				
U208	1,1,1,2-TETRACHLOROETHANE; Also known as ETHANE, 1,1,1,2-TETRACHLORO-				
U209	1,1,2,2-TETRACHLOROETHANE; Also known as ETHANE, 1,1,2,2-TETRACHLORO-				
U210	TETRACHLOROETHYLENE; Also known as ETHENE, TETRACHLORO-				
U211	CARBON TETRACHLORIDE; Also known as METHANE, TETRACHLORO-				
U213	TETRAHYDROFURAN (I); Also known as FURAN, TETRAHYDRO-(I)				
U214	ACETIC ACID, THALLIUM(1+) SALT; Also known as THALLIUM(I) ACETATE				
U215	THALLIUM(I) CARBONATE; Also known as CARBONIC ACID, DITHALLIUM(1+) SALT				
U216	THALLIUM(I) CHLORIDE; Also known as THALLIUM CHLORIDE TLCL				
U217	THALLIUM(I) NITRATE; Also known as NITRIC ACID, THALLIUM(1+) SALT				
U218	THIOACETAMIDE; Also known as ETHANETHIOAMIDE				
U219	THIOUREA				
U220	TOLUENE; Also known as BENZENE, METHYL-				
U221	TOLUENEDIAMINE; Also known as BENZENEDIAMINE, AR-METHYL-				
U222	BENZENAMINE, 2-METHYL-, Also known as HYDROCHLORIDE O-TOLUIDINE HYDROCHLORIDE				
U225	BROMOFORM; Also known as METHANE, TRIBROMO-				
U226	ETHANE, 1,1,1-TRICHLORO-; Also known as METHYL CHLOROFORM				
U227	1,1,2-TRICHLOROETHANE; Also known as ETHANE, 1,1,2-TRICHLORO-				
U228	TRICHLOROETHYLENE; Also known as ETHENE, TRICHLORO-				
U235	TRIS(2,3-DIBROMOPROPYL) PHOSPHATE; Also known as 1-PROPANOL, 2,3-DIBROMO-, PHOSPHATE (3:1)				
U236	TRYPAN BLUE; Also known as 2,7-NAPHTHALENEDISULFONIC ACID, 3,3'-[(3,3'-DIMETHYL[1,1'-BIPHENYL]-4,4'-DIYL)BIS(AZO)BIS[5-AMINO-4-HYDROXY]-, TETRASODIUM SALT				
U237	URACIL MUSTARD; Also known as 2,4-(1H,3H)-PYRIMIDINEDIONE, 5-[BIS(2-CHLOROETHYL)AMINO]-				
U238	CARBAMIC ACID, ETHYL ESTER; Also known as ETHYL CARBAMATE (URETHANE)				
U239	XYLENE (I); Also known as BENZENE, DIMETHYL- (I,T)				
U240	ACETIC ACID, 92,4-DICHLOROPHENOXY)-, SALTS & ESTERS; Also known as 2,4-D, SALTS & ESTERS				
U243	HEXACHLOROPROPENE; Also known as 1-PROPENE, 1,1,2,3,3,3- HEXACHLORO-				

TABLE C-1 HAZARDOUS WASTES RECEIVED AT THE PARKER FACILITY				
EPA WASTE CODE	WASTE DESCRIPTION			
U244	THIOPEROXYDICARBONIC DIAMIDE $[(H_2N)C(S)]_2S_2$, TETRAMETHYL-; Also known as THIRAM			
U246	CYANOGEN BROMIDE (CN)Br			
U247	BENZENE, 1,1'(2,2,2-TRICHLOROETHYLIDENE)BIS[4-METHOXY-; Also known as METHOXYCHLOR			
U248	WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS; Also known as 2H-1-BENZOPYRAN-2-ONE, 4- HYDROXY-3-(3-OXO-1-PHENYL-BUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS			
U249	ZINC PHOSPHIDE Zn ₃ P ₂ WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS			
U328	BENZENAMINE, 2-METHYL-; Also known as o-TOLUIDINE			
U353	BENZENAMINE, 4-METHYL-; Also known as p-TOLUIDINE			
U359	ETHANOL, 2-ETHOXY-; Also known as ETHYLENE GLYCOL MONOETHYL ETHER			

Table C-2

Spent Activated Carbon Organic Constituent Data Summary					
			(lb constituent per lb spent activated carbon)		
Constituent	CAS NO.	Minimum	Maximum	Average	
1-Butanol	71-36-3	8.67E-04	8.67E-04	8.67E-04	
1-Hexane	110-54-3	3.86E-04	8.45E-02	4.24E-02	
1,1 Dichloroethane	75-34-3	9.00E-09	3.20E-02	9.71E-04	
1,1 Dichloroethene	75-35-4	2.50E-10	2.94E-01	2.51E-03	
1,1,1 Trichloroethane	71-55-6	2.50E-09	3.43E-01	1.31E-02	
1,1,2 Trichloroethane	79-00-5	5.00E-07	1.41E-02	3.28E-03	
1,1,2,2 Tetrachloroethane	79-34-5	1.45E-05	3.31E-04	2.29E-04	
1,2 Dibromoethane	106-93-4	2.50E-08	1.98E-02	4.57E-03	
1,2 Dichlorobenzene	95-50-1	2.05E-05	4.60E-03	9.99E-04	
1,2 Dichloroethane	107-06-2	0.00E+00	1.39E-01	7.18E-03	
1,2 Dichloroethene	540-59-0	2.50E-08	7.32E-03	2.13E-03	
1,2 Dichloropropane	78-87-5	3.00E-09	5.30E-02	6.06E-03	
1,2,3 Trichloropropane	96-18-4	3.72E-06	3.72E-06	3.72E-06	
1,2,4 Trimethylbenzene	95-63-6	1.10E-07	4.80E-04	3.84E-04	
1,2-Dichloroethene (cis)	156-59-2	1.00E-09	2.63E-03	1.39E-03	
1,2-Dichloroethene (trans)	156-60-5	7.32E-05	5.44E-04	3.65E-04	
1,3 Dichlorobenzene	541-73-1	7.40E-05	5.48E-04	1.70E-04	
1,4 Dichlorobenzene	106-46-7	2.50E-08	3.44E-03	5.20E-04	
2,3,4,6 Tetrachlorophenol	58-90-2	1.82E-05	1.82E-05	1.82E-05	
2-Butanol	78-92-2	5.90E-04	5.90E-04	5.90E-04	
2-Butoxyethanol	111-76-2	2.73E-03	2.73E-03	2.73E-03	
2-ethyl-1-Methylbenzene	611-14-3	9.40E-05	9.40E-05	9.40E-05	
2-methoxy-1-Propanol		6.24E-03	6.24E-03	6.24E-03	
2-Methylnaphthalene	91-57-6	1.63E-05	1.34E-03	4.61E-04	
2-Methylphenol (o-Cresol)	95-48-7	2.14E-05	2.14E-05	2.14E-05	
3-/4-Methylphenol (m&p	108-39-4 &				
Cresol)	106-44-5	3.40E-05	3.40E-05	3.40E-05	
4-ethyl-1-Methylbenzene		8.10E-05	8.10E-05	8.10E-05	
Acenaphthalene	208-96-8	3.36E-05	6.26E-04	3.30E-04	
Acenaphthene	83-32-9	2.81E-06	2.41E-05	1.09E-05	
Acenaphthylene		1.18E-06	2.66E-06	1.92E-06	
Acetone	67-64-1	4.51E-03	8.49E-03	6.50E-03	
Acrylic Acid	79-10-7	2.50E-05	2.50E-05	2.50E-05	
Acrylonitrile	107-13-1	9.30E-06	9.30E-06	9.30E-06	
Aldrin	309-00-2	6.60E-07	6.60E-07	6.60E-07	
Aniline	62-53-3	2.51E-05	4.26E-04	1.47E-04	
Benzene	71-43-2	2.50E-10	9.25E-02	1.44E-03	
Benzo(a)Anthracene	56-55-3	5.60E-07	2.10E-06	1.33E-06	
Benzo(b)Fluoranthene	205-99-2	2.30E-07	4.00E-07	3.20E-07	
Bromodichloromethane	75-27-46	3.00E-05	6.18E-04	4.06E-04	
Butane	106-97-8	9.69E-06	9.69E-06	9.69E-06	
Butyl Acetate	123-86-4	1.36E-02	1.36E-02	1.36E-02	
Carbon Tetrachloride	56-23-5	3.00E-08	1.36E-02	5.39E-04	
Chlorobenzene	108-90-7	2.50E-08	2.75E-03	4.76E-04	
Chloroethane	75-00-3	3.89E-03	3.89E-03	3.89E-03	

Table C-2

Spent Activated Carbon Organic Constituent Data Summary				
Organics (lb constituent per lb spent activated ca				
Constituent	CAS NO.	Minimum	Maximum	Average
Chloroform	67-66-3	1.40E-08	2.08E-02	1.05E-02
Chloromethane	74-87-3	2.06E-04	2.06E-04	2.06E-04
Chrysene	218-01-9	6.40E-07	6.40E-07	6.40E-07
Cresol	1319-77-3	5.10E-05	1.74E-04	1.13E-04
Cumene	98-82-8	5.78E-06	1.65E-03	4.37E-04
Dibenzofuran	132-64-9	7.66E-06	2.61E-05	1.69E-05
Dicyclopentadiene	77-73-6	6.06E-04	6.49E-02	1.68E-02
Dioxane	123-91-1	1.16E-04	9.20E-04	5.18E-04
Ethanol	64-17-5	3.56E-04	3.56E-04	3.56E-04
Ethyl Acetate	141-78-6	5.87E-03	5.87E-03	5.87E-03
Ethylbenzene	100-41-4	5.00E-10	2.30E-02	1.14E-03
Ethylene Glycol	107-21-1	2.94E-01	2.94E-01	2.94E-01
Fluoranthene	206-44-0	3.11E-06	2.90E-05	1.61E-05
Freon 113	76-13-1	1.10E-09	1.10E-09	1.10E-09
Isobutane	75-28-5	1.42E-02	1.42E-02	1.42E-02
Isopar C	.0 _0 0	1.27E-03	5.48E-02	2.80E-02
Isopropyl Alcohol	67-63-0	7.00E-03	7.00E-03	7.00E-03
Lindane	58-89-9	1.54E-09	6.70E-06	1.28E-06
m&p-Xylenes	108-38-3	1.012 00	0.702 00	1.202 00
map //yioneo	&106-42-3	7.20E-08	2.89E-03	5.90E-04
Methanol	67-56-1	1.36E-01	1.36E-01	1.36E-01
Methoxychlor	72-43-5	2.80E-06	2.80E-06	2.80E-06
Methyl ethyl ketone	78-93-3	1.20E-08	4.10E-03	1.40E-03
Methyl Isobutyl ketone	108-10-1	5.00E-06	4.24E-02	2.94E-03
Methyl methacrylate	80-62-6	2.50E-08	2.50E-08	2.50E-08
methyl tert-butyl ether	1634-04-4	1.22E-07	4.66E-02	5.86E-03
Methylene chloride	75-09-2	1.90E-08	1.30E-01	1.63E-03
Methylnaphthalene	28804-88-8	3.54E-06	5.03E-06	4.29E-06
Naphthalene	91-20-3	6.00E-09	4.93E-03	4.31E-04
n-Hexane	110-54-3	5.51E-04	8.25E-03	4.40E-03
Nitrobenzene	98-95-3	6.99E-06	3.14E-02	4.50E-03
o-Xylene	95-47-6	2.50E-09	9.00E-05	1.22E-05
Pentachlorophenol	87-86-5	1.00E-06	3.97E-03	7.36E-04
Phenanthrene	85-01-8	3.20E-07	2.95E-05	1.08E-05
			4.03E-03	1.27E-03
Phenol Polychlorinated Biphenyls	108-95-2 1336-36-3	2.00E-07 8.00E-07	3.50E-06	2.15E-06
, , ,	103-65-1	9.00E-05	9.00E-05	
Propylbenzene Propylene glycol		9.00E-03	ÿ.∪∪⊑ - ∪3	9.00E-05
1, 0,	107-98-2	1 455 00	1 455 00	1 455 00
monomethyl ether acetate Propylene oxide	75 FC 0	1.45E-02	1.45E-02	1.45E-02
1 /	75-56-9	4.30E-09	4.00E-03	1.00E-03
Styrene	100-42-5	2.50E-08	3.97E-02	3.57E-03
Tetrachloroethane	630-20-6 &	0.005.00	0.005.00	0.005.00
Tatus ablana atla la ca	79-34-5	2.96E-03	2.96E-03	2.96E-03
Tetrachloroethylene	127-18-4	0.00E+00	1.59E-01	1.84E-02
Tetrahydrofuran	109-99-9	4.16E-04	4.16E-04	4.16E-04

Table C-2

Spent Activated Carbon Organic Constituent Data Summary					
		Organics (lb constituent per lb spent activated carbon)			
Constituent	CAS NO.	Minimum	Maximum	Average	
Toluene	108-88-3	1.60E-09	1.30E-01	8.68E-03	
Trichloroethylene	79-01-6	2.50E-09	2.17E-01	2.24E-03	
Trichlorofluoromethane	75-69-4	1.00E-07	4.00E-02	1.42E-03	
Triethylamine	121-44-8	9.54E-03	9.54E-03	9.54E-03	
Tris(hydroxymethyl)					
Aminomethane		1.77E-02	1.77E-02	1.77E-02	
Vinyl Chloride	75-01-4	2.30E-08	2.40E-05	2.58E-06	
Xylene	1330-20-7	8.00E-10	1.59E-01	3.41E-03	

All data reported on a dry carbon basis.

Note: The information presented in this table is considered typical but should not be considered limiting.

Table C-3
Spent Activated Carbon Characterization Summary

Stream Type: Solid

Stream Name: Spent Activated Carbon

Feed Method: Dewatering screw, conveyor belt and rotary airlock

Constituent/Property	Units	Value		
		Typical	Range	
Organic Constituents (a)				
Total organics	wt%	3.1	2 - 4	
Inorganic Constituents				
Water	wt%	43.5	30 - 50	
RCRA Metals (a)				
Antimony	mg/kg	<10	<10	
Arsenic	mg/kg	2.8	1.2 - 19	
Barium	mg/kg	38.3	1 - 110	
Beryllium	mg/kg	0.5	<0.1 - 0.7	
Cadmium	mg/kg	0.7	<0.5 - 6.9	
Chromium	mg/kg	11	3.1 - 240	
Chromium (VI)	mg/kg	<0.9	<1	
Lead	mg/kg	2.7	<2 - 25	
Mercury	mg/kg	0.1	0 - 0.5	
Nickel	mg/kg	21.3	7.5 - 140	
Selenium	mg/kg	<2	<1 - 3.9	
Silver	mg/kg	1	<0.5 - 1.6	
Thallium	mg/kg	10.7	<5 - 29	
Other Metals (a)				
Cobalt	mg/kg	4.8	2.1 - 19	
Copper	mg/kg	31.4	12 - 60	
Manganese	mg/kg	223	54 - 590	
Vanadium	mg/kg	6.2	3.7 - 7.9	
Zinc	mg/kg	35.4	22 - 44	
Elemental Composition (b)				
Carbon (from spent carbon)	wt%	94.5	70 - 99	
Carbon (from organic adsorbed on carbon)	wt%	2.9	1.6 - 25	
Hydrogen	wt%	0.4	0.2 - 8	
Oxygen	wt%	0.5	0.3 - 5	
Nitrogen	wt%	0.1	0.06 - 0.5	
Sulfur	wt%	0	<0.1	
Phosphorous	wt%	0	<0.1	
Chlorine/chloride	wt%	1.5	0 - 5	
Bromine/bromide	wt%	0	<0.1	
Fluorine/fluoride	wt%	0	<0.1	
lodine/iodide	wt%	0	<0.1	

⁽a) - As fed basis (wet)

Note: The information presented in this table is considered typical but should not be considered limiting.

⁽b) - Dry basis (as received)